1.1

1.2

1.3

1.4

1.5

1.6

1.7

1.8

19

2.1

2.2

2.3

2.4

2.5

2.6

2.7

MATERIAL SAFETY DATA SHEET

Page 1 of 8

MSDS-009 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.0 MSDS Revision Date: 05/13/2011 1. PRODUCT IDENTIFICATION Product Name: AVOJUICE COCONUT MELON JUICIE™ Chemical Name **AQUEOUS LOTION** Synonyms: NA Trade Names AV 981 - AV986 Product Use **PROFESSIONAL OR SUNDRY USE ONLY** Manufacturer's Name **OPI PRODUCTS, INC.** Distributor's Address 13034 SATICOY STREET, NO. HOLLYWOOD, CA 91605 USA **Emergency Phone** CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 Business Phone: +1 (818) 759-2400 / +1 (800) 341-9999 2. HAZARD IDENTIFICATION Hazard Identification: This product is not classified as a HAZARDOUS SUBSTANCE or as DANGEROUS GOODS according to the classification criteria of NOHSC: 1008 (2004) and ADG Code (Australia). Routes of Entry: YES NO YES Inhalation: Absorption: Ingestion: Effects of Exposure: INGESTION: If product is swallowed, may cause nausea, vomiting and/or diarrhea. EYES: Slightly irritating to the eyes. SKIN: May be irritating to skin in some sensitive individuals, especially after prolonged contact. INHALATION: Inhalation is unlikely; however, vapors of this product may be slightly irritating to some sensitive individuals. Symptoms of Overexposure EYES: Symptoms of overexposure may include redness, itching, and irritation. Acute Health Effects: SKIN: Redness, itching, and irritation of skin at the site of contact for some sensitive individuals. Chronic Health Effects: INGESTION: No chronic health effects are known, although symptoms and discomfort may occur for several days following overexposure following ingestion. Target Organs: Eyes, Skin

NA = Not Available; ND = Not Determined; NE = Not Established; NF = Not Found; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used. Note: All WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2004 format.

 $\mathbf{O} \cdot \mathbf{P} \cdot \mathbf{I}$

MATERIAL SAFETY DATA SHEET

Page 2 of 8

MSDS-009

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 2.0

MSDS Revision Date: 05/13/2011

No. RTECS No. -5 ZC0110000 -5 ZC0110000 -7 NA 3-1 NA 7-0 NA -5 DH225000 -3 DH225000 -3 DH2247000 3-1 KQ630000 -3 DH2247000 3-1 KQ630000 -5 DJ1892000 -6 DB50443000 0 GO7875000	EINECS No. 231-791-2 200-338-0 NA 279-791-1 267-008-6 NA 224-069-3 202-318-7 224-208-8 NA 202-592-8 205-028-9 223-772-2 204-881-4	% ≤ 90.0 ≤ 5.0 ≤ 5.0 ≤ 2.0 ≤ 1.0 ≤ 1.0 ≤ 1.0 ≤ 1.0 ≤ 1.0 ≤ 1.0 ≤ 1.0 ≤ 1.0 ≤ 1.0 ≤ 1.0 ≤ 1.0 ≤ 1.0 ≤ 1.0 ≤ 1.0	ACO PP TLV NE NA NA NA NA NA NA NA NA			SURE L NOHSC ppm ES- STEL NF NF NF NF NF NF NF NF NF	ES- PEAK NF NF NF NF NF NF NF NF NF NF	PEL NE NA NA NA NA NA NA	mg/m OSHA ppm STEL NA NA NA NA NA NA	IDLH NE NA NA NA NE NA	OTHER
-5 ZC0110000 TY2000000 -9 NA 3-1 NA 7-0 NA NA -5 DH225000 DH1980000 -3 DH2247000 3-1 KQ630000 YT1600000 5 DJ1892000 -6 DB50443000 0 GO7875000	231-791-2 200-338-0 NA 279-791-1 267-008-6 NA 224-069-3 202-318-7 224-208-8 NA 202-592-8 205-028-9 223-772-2	\leq 90.0 \leq 5.0 \leq 2.0 \leq 2.0 < 1.0 \leq 1.0 \leq 1.0 \leq 1.0 \leq 1.0 < 1.0 < 1.0 < 1.0	PP TLV NE NA NA NA NA NA NA	M STEL NE NA NA NA NA NA NA	ES- TWA NF 10 NF NF NF NF NF NF	ppm ES- STEL NF NF NF NF NF NF NF	ES- PEAK NF NF NF NF NF NF NF	NE NA NA NA NA NA	STEL NE NA NA NA NE NA	NE NA NA NA NA NA	OTHER
-5 ZC0110000 TY2000000 -9 NA 3-1 NA 7-0 NA NA -5 DH225000 DH1980000 -3 DH2247000 3-1 KQ630000 YT1600000 5 DJ1892000 -6 DB50443000 0 GO7875000	231-791-2 200-338-0 NA 279-791-1 267-008-6 NA 224-069-3 202-318-7 224-208-8 NA 202-592-8 205-028-9 223-772-2	\leq 90.0 \leq 5.0 \leq 2.0 \leq 2.0 < 1.0 \leq 1.0 \leq 1.0 \leq 1.0 \leq 1.0 < 1.0 < 1.0 < 1.0	TLV NE NA NA NA NA NA NA NA	STEL NE NA NA NA NA NA NA	TWA NF 10 NF NF NF NF NF NF	ES- STEL NF NF NF NF NF NF NF NF	PEAK NF NF NF NF NF NF NF	NE NA NA NA NA NA	STEL NE NA NA NA NE NA	NE NA NA NA NA NA	
-5 ZC0110000 TY2000000 -9 NA 3-1 NA 7-0 NA NA -5 DH225000 DH1980000 -3 DH2247000 3-1 KQ630000 YT1600000 5 DJ1892000 -6 DB50443000 0 GO7875000	231-791-2 200-338-0 NA 279-791-1 267-008-6 NA 224-069-3 202-318-7 224-208-8 NA 202-592-8 205-028-9 223-772-2	\leq 90.0 \leq 5.0 \leq 2.0 \leq 2.0 < 1.0 \leq 1.0 \leq 1.0 \leq 1.0 \leq 1.0 < 1.0 < 1.0 < 1.0	NE NA NA NA NA NA NA NA	NE NA NA NA NA NA NA NA	TWA NF 10 NF NF NF NF NF NF	STEL NF NF NF NF NF NF NF NF	PEAK NF NF NF NF NF NF NF	NE NA NA NA NA NA	NE NA NA NA NE NA	NE NA NA NA NA NA	
TY2000000 -9 NA 3-1 NA 7-0 NA NA NA -5 DH225000 DH1980000 -3 -3 DH2247000 3-1 KQ630000 YT160000 5 DJ1892000 -6 DB50443000 0 GO7875000	200-338-0 NA 279-791-1 267-008-6 NA 224-069-3 202-318-7 224-208-8 NA 202-592-8 205-028-9 223-772-2	\leq 5.0 \leq 5.0 \leq 2.0 < 1.0 \leq 1.0 \leq 1.0 \leq 1.0 \leq 1.0 \leq 1.0 < 1.0 < 1.0	NA NA NE NA NA NA NA	NA NA NA NA NA NA NA	10 NF NF NF NF NF NF NF	NF NF NF NF NF NF NF	NF NF NF NF NF NF	NA NA NA NE NA NA	NA NA NA NE NA NA	NA NA NA NE NA NA	
-9 NA 3-1 NA 7-0 NA NA NA -5 DH225000 DH1980000 0 -3 DH2247000 3-1 KQ630000 YT1600000 5 DJ1892000 -6 O GO7875000	NA 279-791-1 267-008-6 NA 224-069-3 202-318-7 224-208-8 NA 202-592-8 205-028-9 223-772-2	 ≤ 5.0 ≤ 2.0 ≤ 2.0 < 1.0 ≤ 1.0 ≤ 1.0 ≤ 1.0 ≤ 1.0 < 1.0 < 1.0 < 1.0 	NA NA NA NA NA NA NA	NA NA NA NA NA NA	NF NF NF NF NF NF NF	NF NF NF NF NF NF	NF NF NF NF NF NF	NA NA NE NA NA	NA NA NE NA NA	NA NA NE NA NA	
3-1 NA 7-0 NA 7-0 NA NA NA -5 DH225000 DH1980000 DH1980000 -3 DH2247000 3-1 KQ630000 YT1600000 DJ1892000 -6 DB50443000 0 GO7875000	279-791-1 267-008-6 NA 224-069-3 202-318-7 224-208-8 NA 202-592-8 205-028-9 223-772-2	 ≤ 2.0 ≤ 2.0 < 1.0 ≤ 1.0 ≤ 1.0 ≤ 1.0 ≤ 1.0 < 1.0 < 1.0 < 1.0 	NA NE NA NA NA NA NA	NA NE NA NA NA NA	NF NF NF NF NF NF	NF NF NF NF NF NF	NF NF NF NF NF NF	NA NE NA NA	NA NE NA NA	NA NE NA NA	
NA NA -5 DH225000 DH1980000 -3 DH2247000 3-1 KQ630000 YT160000 5 DJ1892000 -6 DB50443000 0 GO7875000	267-008-6 NA 224-069-3 202-318-7 224-208-8 NA 202-592-8 205-028-9 223-772-2	 ≤ 2.0 < 1.0 ≤ 1.0 ≤ 1.0 ≤ 1.0 ≤ 1.0 < 1.0 < 1.0 < 1.0 	NE NA NA NA NA NA	NE NA NA NA NA	NF NF NF NF NF	NF NF NF NF	NF NF NF NF	NE NA NA NA	NE NA NA	NE NA NA	
NA -5 DH225000 DH1980000 -3 DH2247000 3-1 KQ630000 YT1600000 5 DJ1892000 -6 DB50443000 0 GO7875000	NA 224-069-3 202-318-7 224-208-8 NA 202-592-8 205-028-9 223-772-2	< 1.0 ≤ 1.0 ≤ 1.0 ≤ 1.0 ≤ 1.0 < 1.0 < 1.0	NA NA NA NA NA	NA NA NA NA	NF NF NF NF	NF NF NF NF	NF NF NF NF	NA NA NA	NA NA	NA NA	
-5 DH225000 DH1980000 -3 DH2247000 3-1 KQ630000 YT1600000 5 DJ1892000 -6 DB50443000 0 GO7875000	224-069-3 202-318-7 224-208-8 NA 202-592-8 205-028-9 223-772-2	 ≤ 1.0 ≤ 1.0 ≤ 1.0 ≤ 1.0 < 1.0 < 1.0 	NA NA NA NA	NA NA NA NA	NF NF NF NF	NF NF NF	NF NF NF	NA NA	NA	NA	
DH1980000 -3 DH2247000 3-1 KQ630000 YT1600000 5 DJ1892000 -6 DB50443000 0 GO7875000	202-318-7 224-208-8 NA 202-592-8 205-028-9 223-772-2	 ≤ 1.0 ≤ 1.0 ≤ 1.0 < 1.0 < 1.0 	NA NA NA NA	NA NA NA	NF NF NF	NF NF	NF NF	NA			
-3 DH2247000 3-1 KQ630000 YT1600000 5 DJ1892000 -6 DB50443000 0 GO7875000	224-208-8 NA 202-592-8 205-028-9 223-772-2	 ≤ 1.0 ≤ 1.0 < 1.0 < 1.0 	NA NA NA	NA NA	NF NF	NF	NF		ΝΑ		1
3-1 KQ630000 YT160000 YT160000 5 DJ1892000 -6 DB50443000 0 GO7875000	NA 202-592-8 205-028-9 223-772-2	≤ 1.0 < 1.0 < 1.0	NA NA	NA	NF				110	NA	
YT1600000 5 DJ1892000 -6 DB50443000 0 GO7875000	202-592-8 205-028-9 223-772-2	< 1.0 < 1.0	NA			NF	NE	NA	NA	NA	
5 DJ1892000 -6 DB50443000 0 GO7875000	205-028-9 223-772-2	< 1.0		NA	NE		INF	NA	NA	NA	
-6 DB50443000 D GO7875000	223-772-2		NA		INF	NF	NF	NA	NA	NA	
GO7875000		< 1.0		NA	NF	NF	NF	NA	NA	NA	
	204-881-4		NA	NA	NF	NF	NF	NA	NA	NA	
GN420000		< 1.0	2	10	10	NF	NF	2	10	NA	
0	202-086-7	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN
1-7 NA	271-516-3	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
6 DN3150000	202-859-9	< 1.0	NE	NE	NF	NF	NF	NE	NE	NE	ALLERGEN
NA	NA	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
6 CU7671040	205-305-4	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
DJ290000	200-412-2	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
9-3 NA	287-390-8	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
3-3 NA	249-862-1	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
8-7 NA	NA	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
RG5775000	201-134-4	< 1.0	NE	NE	NF	NF	NF	NE	NE	NE	ALLERGEN
2-4 NA	305-632-3	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
-8 GG6040000	232-828-8	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
4-8 NA	290-054-3	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
1-5 NA	277-452-2	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
-5 OG756000	232-307-2	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
KQ6300000	200-578-6	< 1.0	1000	NA	1880	NF	NF	1000	NA	NA	
	250-705-4	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
RG2275000	204-007-1	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
5 DB7084000	211-199-0	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
	202-785-7	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
DH2450000	1	1									
	8-7 NA RG5775000 2-4 NA -8 GG6040000 4-8 NA 1-5 NA 3-5 OG756000 KQ6300000 RG1-1 RG1925000 S DB7084000 DB7084000	8-7 NA NA RG5775000 201-134-4 22-4 NA 305-632-3 -8 GG6040000 232-828-8 2-4 NA 290-054-3 -1-5 NA 277-452-2 GG756000 232-307-2 KQ6300000 200-578-6 11-1 RG1925000 250-705-4 1 RG2275000 204-007-1 5 DB7084000 211-199-0	8-7 NA NA < 1.0 RG5775000 201-134-4 < 1.0	8-7 NA NA < 1.0 NA RG5775000 201-134-4 < 1.0	8-7 NA NA < 1.0 NA NA RG5775000 201-134-4 < 1.0	18-7 NA NA < 1.0 NA NA NF RG5775000 201-134-4 < 1.0	8-7 NA NA < 1.0 NA NA NF NF RG5775000 201-134-4 < 1.0	8-7 NA NA <1.0 NA NA NF NF NF RG5775000 201-134-4 <1.0	18-7 NA NA < 1.0 NA NA NF NF NF NA RG5775000 201-134-4 < 1.0	18-7 NA NA < 1.0 NA NA NF NF NF NA NA RG5775000 201-134-4 < 1.0	18-7 NA NA < 1.0 NA NA NF NF NF NA NA NA RG5775000 201-134-4 < 1.0

	$\mathbf{P} \cdot \mathbf{P} \cdot \mathbf{I}$ MATERIAL SAFETY DATA SHEET		т	Page 3 of 8					
							· I	MSDS-	009
Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.0 MSDS Revision Date: 05,							te: 05/13/20)11	
			4. FIRST AID A	MEASUR	ES				
4.1	First Ald: INGESTION: If ingested, do not induce vomiting. Drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer plenty of water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time and amount of the substance that was swallowed.							Control at was	
	EYES: If product is in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Open and close eyelid(s) to ensure thorough irrigation. If problem persists, consult a physician. SKIN: If redness, dryness or other signs of irritation to the skin develop, wash affected skin areas with plenty of warm water and soap. If irritation persists, consult a physician. INHALATION: Remove victim to fresh air at once.								
4.2	Medical Conditions A	ggravated by Exposure:				HEALTH	1		0
	None known.					ΕΙ Δ ΛΛΛ	ABILITY		0
							CAL HAZAR	DS	0
							CTIVE EQUI		
						TROTE			
			5. FIREFIGHTING	G MEASI	JRES				
5.1	Flashpoint & Method: Non-flammable.								
5.2	Autoignition Tempera NA	ture:							
5.3						NA			
5.4	 Fire & Explosion Hazards: This product is non-flammable. When exposed to high temperatures, may produce hazardous decomposition products such as carbon monoxide, carbon dioxide and smoke. 								
5.5	Extinguishing Methods: 0 0								
5.6	Firefighting Procedures: As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear.								
(1	Collo	6.	ACCIDENTAL REL	EASE M	EASURE	5			
6.1	6.1 Spills: <u>SMALL SPILLS</u> : Secure spill area, and maximize ventilation. Stop spill at source if safely possible. Deny entry to all unprotected individuals. Individuals involved in the cleanup must wear appropriate personal protective equipment. Vacuuming or wet sweeping methods are highly recommended. It is recommended that measures be taken to monitor the spill area in the event that TLV levels exceed the exposure limits.								
	individuals. Indi	viduals involved in the cl hly recommended. It is	naximize ventilation. Sto leanup must wear approp recommended that mea	oriate persoi	nal protecti	ive equipm	ent. Vacuumin	g or wet sw	eeping
		<u>DISPOSAL</u> : Recover spill I authorities for assistance	I material and place into e and/or requirements.	appropriat	e containe	r(s) for disp	oosal. Contact	appropriate	e local,
l									

$0 \cdot \mathbf{P} \cdot \mathbf{I}$

MATERIAL SAFETY DATA SHEET

Page 4 of 8

MSDS-009

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 2.0

MSDS Revision Date: 05/13/2011

7. HANDLING & STORAGE INFORMATION 7.1 Work & Hygiene Practices: Avoid eye contact. Do not eat, drink or smoke when handling this product. Keep away from foodstuffs and beverages. 72 Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Do not store in damaged or unmarked containers or storage devices. Keep containers securely closed when not in use. 7.3 Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION 8.1 Ventilation & Engineering Controls: General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. 8.2 Respiratory Protection: None required if used in a well-ventilated area. 8.3 Eye Protection: Avoid eye contact. None required under normal conditions of use. 8.4 Hand Protection: None required under normal conditions of use. 8.5 Body Protection: None required under normal conditions of use. 9. PHYSICAL & CHEMICAL PROPERTIES 9.1 Density 0.995 9.2 Boiling Point: ND 93 Melting Point: ND 9.4 Evaporation Rate: ND 9.5 Vapor Pressure: ND 9.6 Molecular Weight: ND 9.7 Appearance & Color: Semi-viscous, light orange colored cream with fragrant, coconut odor. 9.8 Odor Threshold: ND 9.9 Solubility Soluble in water. 9.10 рΗ ND 9.11 Viscosity: NA 9.12 Other Information: NA

$\mathbf{O}{\boldsymbol{\cdot}}\mathbf{P}{\boldsymbol{\cdot}}\mathbf{I}$

MATERIAL SAFETY DATA SHEET

Page 5 of 8

MSDS-009

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS

MSDS Revision: 2.0

MSDS Revision Date: 05/13/2011

	10. STABILITY & REACTIVITY
10.1	Stability: This product is stable.
10.2	Hazardous Decomposition Products: Oxides of carbon and nitrogen.
10.3	Hazardous Polymerization: Will not occur.
10.4	Conditions to Avoid: Open flames, sparks, high heat and direct sunlight.
10.5	Incompatible Substances: None known or reported.
	11. TOXICOLOGICAL INFORMATION
44.4	
11.1	Toxicity Data: The product has not been tested on animals to obtain toxicological data. There are toxicology data for the components of this product, which are found in the scientific literature. This data has not been presented in this document.
11.2	Acute Toxicity: See section 2.5
11.3	Chronic Toxicity: See section 2.6
11.4	Suspected Carcinogen: NE
11.5	Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans.
	Mutagenicity: This product is not reported to produce mutagenic effects in humans.
	Embryotoxicity: This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity: This product is not reported to produce teratogenic effects in humans.
	Reproductive Toxicity: This product is not reported to produce reproductive effects in humans.
11.6	Irritancy of Product: See Section 2.3
11.7	Biological Exposure Indices: NE
11.8	Physician Recommendations: Treat symptomatically.
	12. ECOLOGICAL INFORMATION
12.1	Environmental Stability: There is no specific data available for this product.
12.2	Effects on Plants & Animals: There is no specific data available for this product.
12.3	Effects on Aquatic Life: There is no specific data available for this product.

MATERIAL SAFETY DATA SHEET

Page 6 of 8 **MSDS-009**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 2.0

MSDS Revision Date: 05/13/2011

13. DISPOSAL CONSIDERATIONS

13.1	Waste Disposal:
	Dispose of in accordance with federal, state and local regulations.
13.2	Special Considerations:

Packagings should be emptied as much as possible and after rinsing, sent for recycling.

14. TRANSPORTATION INFORMATION

The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.

14.1	49 CFR (GND): NOT REGULATED					
14.2	IATA (AIR): NOT REGULATED					
14.3	IMDG (OCN): NOT REGULATED					
14.4	TDGR (Canadian GND): NOT REGULATED					
14.5	ADR/RID (EU): NOT REGULATED					
14.6	SCT (MEXICO): NOT REGULATED					
14.7	ADGR (AUS): NOT REGULATED					
	15. REGU	LATORY INFORMATION				
15.1	SARA Reporting Requirements: NA					
15.2	SARA Threshold Planning Quantity: NA					
15.3	TSCA Inventory Status: All chemical substances of this product are listed on the TSCA inventory or are otherwise exempted from inventory status.					
15.4	CERCLA Reportable Quantity (RQ):					
15.5	Other Federal Requirements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics).					
15.6	Other Canadian Regulations: This product has been classified according to the haze the information required by the CPR. The components the components of this product are listed on the Prioritie	of this product are listed on the DSL/NDSL. None of				
15.7	State Regulatory Information: Ingredients in this mixture on found on the following sta	te criteria lists:				
	Minnesota Hazardous Substances List Pennsylvania Hazardous Substances List	Propylene Glycol, Ethanol Propylene Glycol, Ethanol				
	Massachusetts Right to know List California Right to Know List	Ethanol Ethanol				
15.8	67/548/EEC (European Union) Requirements: The primary components of this product are not listed in	n Annex I of EU Directive 67/548/EEC.				

MATERIAL SAFETY DATA SHEET

Page 7 of 8 **MSDS-009**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 2.0

MSDS Revision Date: 05/13/2011

		16. OTHER INFORMATION
16.1	Other Information: Use only as directed. Discontinue use immed	diately if irritation develops. Do not use near eyes.
16.2	Terms & Definitions: See last page of this MSDS.	
16.3	regulations must be reviewed for applicab information contained herein is reliable ar guaranteed and no warranties of any type, o	suant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government ility to this product. To the best of ShipMate's & OPI Products Inc.'s knowledge, the ad accurate as of this date; however, accuracy, suitability or completeness are not either expressed or implied, are provided. The information contained herein relates only is combined with other materials, all component properties must be considered. Data to consult the latest edition.
16.4	Prepared for: OPI Products, Inc. 13034 Saticoy Street No. Hollywood, CA 91605 USA +1 (818) 759-2400 phone +1 (818) 759-5770 fax http://www.opi.com/	$\mathbf{O} \cdot \mathbf{P} \cdot \mathbf{I}$
16.5	Prepared by: ShipMate, Inc. PO Box 787 Sisters, OR 97759-0787 USA Phone: +1 (310) 370-3600 Fax: +1 (310) 370-5700 e-mail: shipmate@shipmate.com	ShipMate Dangerous Goods Training & Consulting

$\mathbf{O} \cdot \mathbf{P} \cdot \mathbf{I}$

MATERIAL SAFETY DATA SHEET

Page 8 of 8

MSDS-009

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.0

MSDS Revision Date: 05/13/2011

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH American Conference on Governmental Industrial Hygienists		
TLV Threshold Limit Value		
OSHA U.S. Occupational Safety and Health Administration		
PEL Permissible Exposure Limit		
IDLH	Immediately Dangerous to Life and Health	

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.
-----	---


HEALTH

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	FLAMMABILITY
1	Slight Hazard	
2	Moderate Hazard	PHYSICAL HAZARDS
3	Severe Hazard	
4	Extreme Hazard	PERSONAL PROTECTION

PERSONAL PROTECTION RATINGS:



FLAMMABILITY LIMITS IN AIR:


Autoignition Temperature					
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source				
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source				

OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
W	Use No Water
ох	Oxidizer



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s				
LC50	Lethal concentration (gases) which kills 50% of the exposed animal				
ppm	Concentration expressed in parts of material per million parts				
TD _{lo}	Lowest dose to cause a symptom				
TCLo	Lowest concentration to cause a symptom				
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic				
TC, TC _o , LC _{io} , & LC _o	effects				
IARC	International Agency for Research on Cancer				
NTP	National Toxicology Program				
RTECS	Registry of Toxic Effects of Chemical Substances				
BCF	Bioconcentration Factor				
TLm	Median threshold limit				
log Kow or log Koc	Coefficient of Oil/Water Distribution				

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System		
DOT	U.S. Department of Transportation		
TC	Transport Canada		
EPA	U.S. Environmental Protection Agency		
DSL	Canadian Domestic Substance List		
NDSL	Canadian Non-Domestic Substance List		
PSL	Canadian Priority Substances List		
TSCA	U.S. Toxic Substance Control Act		
EU	EU European Union (European Union Directive 67/548/EEC)		
CPR	Canada's Controlled Product Regulations		

EC INFORMATION:

¶.¶		×	*	8	X	×	×
С	E	F	Ν	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

WHMIS INFORMATION:

