MATERIAL SAFETY DATA SHEET

Page 1 of 7 **MSDS-144**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards 1. PRODUCT IDENTIFICATION

MSDS Revision: 2.0

MSDS Revision Date: 02/01/2012

	1. TRODUCT DENTITICATION				
1.1	Product Name: AXXIUM SOAK-OFF GEL BASE				
1.2	Chemical Name: METHACRYLATE MIXTURE				
1.3	Synonyms: NA				
1.4	Trade Names: AXX401				
1.5	Product Use: PROFESSIONAL USE ONLY				
1.6	Manufacturer's Name: OPI PRODUCTS, INC.				
1.7	Manufacturer's Address: 13034 SATICOY STREET, NO. HOLLYWOOD, CA 91605 USA				
1.8	Emergency Phone:				
1.9	CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 Business Phone:				
	+1 (818) 759-2400 / +1 (800)-341-9999				
	2. HAZARD IDENTIFICATION				
	This product is classified as a HAZARDOUS SUBSTANCE but NOT as DANGEROUS GOODS according to the classification criteria of NOHSC:1088 (2004) and ADG Code (Australia). WARNING. AVOID SKIN CONTACT DUE TO SENSITIZING POTENTIAL. <u>Hazard Statements</u> (H): H317 – may cause an allergic skin reaction. H320 – Causes eye irritation. <u>Precautionary Statements</u> (P): P261 – Avoid breathing dust/fume/gas/mist/vapours/spray. P264 – Wash exposed skin areas thoroughly with soap and water after handling. P272 – Contaminated work clothing should not be allowed out of the workplace. P280 – Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 – IF ON SKIN - Wash with soap and water. P305+P351+P338 – IF IN EYES - Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. P333+P313 – If skin irritation or a rash occurs - Get medical advice/attention. P321 – For specific first aid treatment (see section 4 of this Safety Data Sheet). P363 – Wash contaminated clothing before reuse. P501 – Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF).				
2.2	Routes of Entry:Inhalation:YESAbsorption:YESIngestion:YES				
2.3	Effects of Exposure: INGESTION: If product is swallowed, may cause nausea, headache, vomiting and/or diarrhea and central nervous system depression. SKIN & EYES: Irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering. May be irritating to skin in some sensitive individuals, especially after prolonged and/or repeated contact.				
	INHALATION: Inhalation of vapors is unlikely under normal conditions of use and handling; however, inhalation of vapors in excess of the levels listed in Section 2 (Composition and Ingredient Information) can cause central nervous system depression (e.g., drowsiness, dizziness, headaches, nausea).				
2.4	Symptoms of Overexposure: Symptoms of skin overexposure in some sensitive individuals may include redness, itching, and irritation of affected areas. Overexposure in eyes may cause redness, itching and watering.				
2.5	Acute Health Effects: Mild to moderate irritation to eyes and skin near affected areas.				
2.6	Chronic Health Effects:				
2.7	None known. Target Organs:				
	Eyes, skin.				
	Not Available; ND = Not Determined; NE = Not Established; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used				
NOTE:	all WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2010 format.				

$\mathbf{\Omega}$	DI			ERIAL		v n	лт	v c	υс	ст		ſ	Page	2 of	7
U	$\mathbf{P} \cdot \mathbf{P} \cdot \mathbf{I}$		/w\A		SALEI		AI	4 3	пс			1	MSD	S-14	4
Prepar	red to OSHA, ACC	, ANSI, NOHSC,	WHMIS, 2001/58	& 1272/2008/EC	Standards		MSDS R	evision:	2.0	MS	DS Revi	sion Da	ate: 02/0	01/2012	
			2 COM	POSITION						1					
			<u>3. COM</u>						-				IR		
							AC	GIH		VOHSC			OSHA		
							ppm (r	ng/m³)		m (mg/ı		рр	m (mg/r	n³)	OTHER
	CHEMICAL NA	ME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	PEL	STEL	IDLH	
POLYU OLIGO	RETHANE ACRYL MERS	ATE	NA	NA	NA	≤ 70.0	NA	NA	NF	NF	NF	NA	NA	NA	
HYDRC (HEMA))	CRYLATE	868-77-9	OZ4725000	212-782-2	< 10.0	NA	NA	NF	NF	NF	NA	NA	NA	
HYDRC	OXYPROPYL METH	ACRYLATE	27813-02-1	UD3442500	248-666-3	<10.0	NA	NA	NF	NF	NF	NA	NA	NA	
ISOBO	RNYL METHACRY	'LATE	7534-94-3	NA	231-403-1	<10.0	NA	NA	NF	NF	NF	NA	NA	NA	
HYDROXYCYCLOHEXYL PHENYL KETONE CI 60725 (VIOLET 2)		947-19-3	NA	213-426-9	<1.0	NA	NA	NF	NF	NF	NA	NA	NA		
CI 607	25 (VIOLET 2)		81-48-1	CB770000	201-353-5	<1.0	NA	NA	NF	NF	NF	NA	NA	NA	
				4 5154											
4.1	First Aid:			4. FIR:	ST AID ME	ASURI	ES								
		nearest Poiso ingested and Splashes are 15 minutes. I If irritation oc the effected	on Control Cer I the amount of not likely; how f irritation occ ccurs and proc area with soap	nter or local er of the substanc wever, if produ urs, contact a duct is on the s	nergency nun e that was swo uct gets in the physician. skin, rinse thor	nber. Prallowed. eyes, flu	ovide (ush with vith luk	an estir n copic ewarm	mate o ous am water	f the t ounts , follov	ime at of luke wed by	which warm a tho	the m water rough	ateria for at washi	l was least
4.2	Medical Conditions	Aggravated by E	xposure:					Н	EALT	Н				1	
	None known.							F	AM	МАВ	ILITY			1	
										1					
									LJ	JN					
				5. FIREFI	GHTING A	۸EASL	JRES								
5.1	Flashpoint & Metho N/D	d:													
5.2	Autoignition Tempe	erature:													
5.3	Flammability Limits:			Lower Explosiv	ve Limit (LEL):		ND	Up	per Ex	plosive	e Limit ((UEL):		ND	
5.4	Fire & Explosion Haz		issted, do not induce vomiting. If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the tit is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the st Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ed and the amount of the substance that was swallowed. test are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm water for at least nutes. If irritation occurs, contact a physician. tion occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of fected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately. ve victim to fresh air. ated by Exposure: HEALTH 1 FLAMMABILITY 1 PROTECTIVE EQUIPMENT B EYES SKIN 5. FIREFIGHTING MEASURES 5. FIREFIGHTING MEASURES												
	polymerization		may cause				amers	WIIII	valer		veni				
5.5	Extinguishing Metho		•												
5.6	Firefighting Procedu		oam										1	1	
0.0	This product is to produce ca	a combustibl rbon oxides.	-		-	-	-	-					K	ÿ	
	First responder equipment. U extinguishing c	se a water sj	oray or fog to	reduce or dir										-	

9.12

Other Information:

ND

MATERIAL SAFETY DATA SHEET

Page 3 of 7

MSDS-144

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

MSDS Revision: 2.0 MSDS Revision Date: 02/01/2012

		6. ACCIDENTAL RELEASE MEASURES
6.1	For small spills (e.g., <1 gallon) absorbent material and place	k, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. wear appropriate personal protective equipment (e.g., goggles, gloves). Remove spilled material with into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state h all affected areas and outside of container with plenty of warm water and soap. Remove any sh thoroughly before reuse.
	For spills ≥ 1 gallon, deny entry liquid to containers for recov	to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer very or disposal and solid diking material to separate containers for proper disposal. Remove ly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal
		7. HANDLING & STORAGE INFORMATION
7.1	Work & Hygiene Practices: Avoid prolonged contact with t while handling product.	he product. After use, wash hands and exposed skin with soap and water. Do not eat, drink or smoke
7.2		heat, sparks and open flame. Open containers slowly on a stable surface. Keep container closed container may contain residual amounts of this product; therefore, empty containers should be handled
		location, away from direct sunlight, other light sources, or sources of intense heat. Store away from ction 10, Stability and Reactivity). Material should be stored in secondary containers as appropriate.
7.3		table surface. Keep container tightly closed when not in use. Empty containers may contain residual bre, empty containers should be handled with care.
	8.	EXPOSURE CONTROLS & PERSONAL PROTECTION
3.1	Ventilation & Engineering Controls:	
	••••	ntities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). Ensure that an asin is available in case of exposure to eyes.
8.2	protection authorized per U.S.	ion is required under typical circumstances of use or handling. If necessary, use only respiratory OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate ces, E.C. member states, or Australia.
8.3	Eye Protection: Depending on the use of this Canadian standards, or the Euro	product, splash or safety glasses may be worn. If necessary, refer to U.S. OSHA 29 CFR §1910.133, opean Standard EN166.
8.4		SENSITIZING POTENTIAL. If anticipated that prolonged & repeated skin contact will occur during use of or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the da or the E.C. member states.
8.5		SENSITIZING POTENTIAL. No special body protection is required under typical circumstances of use and appropriate standards of Canada, the E.C. member states, or U.S. OSHA.
		9. PHYSICAL & CHEMICAL PROPERTIES
9.1	Density:	1.4900-1.5000
.2	Boiling Point:	> 212 °F
.3	Melting Point:	NE
0.4	Evaporation Rate:	NE
9.5	Vapor Pressure:	NE
9.6	Molecular Weight:	NE
9.7	Appearance & Color:	Clear viscous gel.
9.8	Odor Threshold:	Characteristic acrylates odor.
9.9	Solubility:	Immiscible.
9.10	рН	ND
9.11	Viscosity:	30,000 – 10,000 cPs

$\mathbf{O}{\boldsymbol{\cdot}}\mathbf{P}{\boldsymbol{\cdot}}\mathbf{I}$	
--	--

MATERIAL SAFETY DATA SHEET

Page 4 of 7

U		MSDS-144
Prepa	ared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards MSDS Revision: 2.0 MSDS Revisio	n Date: 02/01/2012
	10. STABILITY & REACTIVITY	
10.1	Stability:	
10.2	Stable under ambient conditions when stored properly (see Section 7, Storage and Handling). Hazardous Decomposition Products: If exposed to extremely high temperatures, the products of thermal decomposition may include irritating vapor gases (e.g., CO, CO2).	rs and carbon oxide
10.3	Hazardous Polymerization: May occur, if exposed to extremely high temperatures.	
0.4	Conditions to Avoid: None known.	
0.5	Incompatible Substances: This product is incompatible with alkaline metals, strong oxidizers (e.g., peroxides, superoxides), strong acids muriatic acids), or strong bases (e.g., lye, potassium hydroxide).	e.g., hydrochloric (
	11. TOXICOLOGICAL INFORMATION	
1.1	Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. There are toxicology data for the compo which are found in scientific literature. These data have not been presented in this document.	onents of the produc
1.2	Acute Toxicity: See Section 2.5	
1.3	Chronic Toxicity: See Section 2.6	
1.4	Suspected Carcinogen: No	
1.5	Reproductive Toxicity: This product is not reported to cause reproductive toxicity in humans.	
	Mutagenicity: This product is not reported to produce mutagenic effects in humans. Embryotoxicity:	
	This product is not reported to produce embryotoxic effects in humans. Teratogenicity:	
	This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity:	
	This product is not reported to cause reproductive effects in humans.	
1.6	Irritancy of Product: See Section 2.3	
1.7	Biological Exposure Indices: NE	
1.8	Physician Recommendations: Treat symptomatically.	
	12. ECOLOGICAL INFORMATION	
2.1	Environmental Stability: There are no specific data available for this product.	
2.2	Effects on Plants & Animals: There are no specific data available for this product.	
2.3	Effects on Aquatic Life: There are no specific data available for this product; however, very large releases of this product may be overexposed aquatic life.	e harmful or fatal
	13. DISPOSAL CONSIDERATIONS	
3.1	Waste Disposal: Waste disposal must be in accordance with appropriate federal, state, and local regulations.	
13.2	Special Considerations: NA	

 $\mathbf{0} \cdot \mathbf{P} \cdot \mathbf{I}$

MATERIAL SAFETY DATA SHEET

Page 5 of 7

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

MSDS Revision: 2.0

MSDS Revision Date: 02/01/2012

	14. TRANSPORTATION INFORMATION	
The b	asic description (proper shipping name, hazard class & division, ID Number, packing group) is shown for each mod	e of transportation.
Additi	onal descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.	
14.1	49 CFR (GND):	
	NOT REGULATED	
14.2	IATA (AIR):	
	NOT REGULATED	
14.3	IMDG (OCN):	
	NOT REGULATED	
14.4		
14.5	NOT REGULATED ADR/RID (EU):	
14.5	NOT REGULATED	
14.6	MEXICO (SCT):	
14.0	NOT REGULATED	
14.7	ADGR (AUS):	
14.7	NOT REGULATED	
	15. REGULATORY INFORMATION	
15.1	SARA Reporting Requirements:	
1011	NA	
15.2	SARA Threshold Planning Quantity:	
	There are no specific Threshold Planning Quantities for the components of this product.	
15.3	TSCA Inventory Status:	
	The components of this product are listed on the ISCA Inventory as appropriate.	
15.4	CERCLA Reportable Quantity (RQ):	
	NA	
15.5	Other Federal Requirements:	
	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Co	smetics).
15.6	Other Canadian Regulations:	\frown
	This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the	(\mathbf{T})
	information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the	
15.7	components of this product are listed on the Priorities Substances List. State Regulatory Information:	
15.7		
15.8	No components of this mixture are listed in the California Proposition 65 Lists. 67/548/EEC (European Union) Requirements:	
13.0	The primary component of this product is not listed in Annex I of EU Directive 67/548/EEC.	
	WARNING.	
	<u>Hazard Statements</u> (H): H317 – may cause an allergic skin reaction. H320 – Causes eye irritation.	~
	<u>Precautionary Statements</u> (P): P261 – Avoid breathing dust/fume/gas/mist/vapours/spray. P264 – Wash exposed skin areas thoroughly with soap and water after handling. P272 – Contaminated work clothing should not be	
	allowed out of the workplace. P280 – Wear protective gloves/protective clothing/eye protection/face	
	protection. P302+P352 – IF ON SKIN - Wash with soap and water. P305+P351+P338 – IF IN EYES - Rinse	\mathbf{V}
	continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.	
	P333+P313 – If skin irritation or a rash occurs - Get medical advice/attention. P321 – For specific first aid treatment	
	(see section 4 of this Safety Data Sheet). P363 – Wash contaminated clothing before reuse. P501 – Dispose of	
	contents/container to a licensed treatment, storage or disposal facility (TSDF).	

0	·P	•	Ι
---	----	---	---

MATERIAL SAFETY DATA SHEET

Page 6 of 7

MSDS-144

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

MSDS Revision: 2.0

MSDS Revision Date: 02/01/2012

	16. OTHER INFORMATION	
16.1	Other Information: Keep out of reach of children. Do not take internally. Keep away from heat and open flame.	
16.2	Terms & Definitions: Please see last page of this MSDS.	
16.3		not only
16.4	Prepared for: OPI Products, Inc. 13034 Saticoy Street No. Hollywood, CA 91605 USA +1 (818) 759-2400 phone +1 (818) 759-5770 fax http://www.opi.com/	
16.5		

J·**P**·**I**

MATERIAL SAFETY DATA SHEET

Page 7 of 7

MSDS-144

MSDS Revision Date: 02/01/2012

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following: **GENERAL INFORMATION:**

CAS No. Chemical Abstract Service Number

EXPOSURE LIMITS IN AIR:

ACGIH American Conference on Governmental Industrial Hygienists					
TLV	Threshold Limit Value				
OSHA U.S. Occupational Safety and Health Administration					
PEL	Permissible Exposure Limit				
IDLH	Immediately Dangerous to Life and Health				

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose
	heart has stopped receives manual chest compressions and breathing
	to circulate blood and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	HEALTH
1	Slight Hazard	FLAMMABILITY
2	Moderate Hazard	PHYSICAL HAZARDS
3	Severe Hazard	PERSONAL PROTECTION
4	Extreme Hazard	

PERSONAL PROTECTION RATINGS:

A	Ś				G	Ś	J.	~~	
В	Ś	and the second s			н	()	jan la	~	¥
С	Ś	<pre>mail</pre>	~ *		I	Ś	J.	¥	
D		<pre></pre>	1		J	()	and the second s		¥
Ε	Ś	ő			κ		and the second s	⋪	L
F	Ś	4						ervisor or directions	
	Ś		Ę	}		e Shield 8		(m)	•
S	afety Glass	es	Splash Go	oggles	Eye	Protection	n	Glove	es
	L		~	ŗ		T			•
1	Boots		Synthetic	Apron	F	ull Suit		Dust Resp	pirator
			¥		_			9	
E	Erro Porni		Dust & Vap			ull Face	A	irline Hoo	

Full Face Respirator Mask Respirator

Note: the dotted circle indicates that this respiratory protective equipment is required for high concentrations or for large volume spills or releases of product.

Respirator

or SCBA

OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA


FLAMMABILIT	Y LIMITS IN AIR:		

Autoignition	Minimum temperature required to initiate combustion in air with no
Temperature	other source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that
	will explode or ignite in the presence of an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume,
	that will explode or ignite in the presence of an ignition source

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
₩	Use No Water
OX	Oxidizer
TREFOIL	Radioactive

MSDS Revision: 2.0



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{Io} , LD _{Io} , & LD _o Or	Lowest dose (or concentration) to cause lethal or toxic
TC, TC _o , LC _{lo} , & LC _o	effects
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System				
DOT	U.S. Department of Transportation				
TC	Transport Canada				
EPA	U.S. Environmental Protection Agency				
DSL	DSL Canadian Domestic Substance List				
NDSL	NDSL Canadian Non-Domestic Substance List				
PSL	PSL Canadian Priority Substances List				
TSCA	U.S. Toxic Substance Control Act				
EU	European Union (European Union Directive 67/548/EEC)				
WGK	Wassergefährdungsklassen (German Water Hazard Class)				

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

\oslash	۲	۲		Ţ	۲		R
Α	В	С	D1	D2	D3	E	F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

		×	¥	8	&	×	×
С	E	F	N	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

	*	٨	\Diamond					L
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment