MATERIAL SAFETY DATA SHEET

Page 1 of 8

MSDS-132

Prep	ared to OSHA,	ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.0 MSDS Revision Date: 04/15/2010)				
		1. PRODUCT IDENTIFICATION					
1.1	Product Name:	W TRODUCT ID LITTLE TO THE TOTAL CONTROL OF THE TOT					
		n e e e e e e e e e e e e e e e e e e e					
	BONDEX 2	<u></u>					
1.2	Chemical Name:						
		C ACID SOLUTION					
1.3	Synonyms:						
	NA						
1.4	Trade Names:						
1.5	Product Use:						
1.5	PROFESSIONA	ILLISE ONLY					
1.6	Manufacturer's Na						
1.0	OPI PRODUCTS						
1.7	Manufacturer's Ac	·					
,		DY STREET, NO. HOLLYWOOD, CA 91605 USA					
1.8	Emergency Phone						
	0 ,	: +1 (703) 527-3887 / +1 (800) 424-9300					
1.9	Business Phone:	··· (100) 021 0001 / ·· 1 (000) 727-1000					
1.7		2400 / +1 (800)-341-9999					
	. 1 (010) 737-2	TOO · (OOO) OTI · IIII					
		A HATARR INFAITIFICATION					
		2. HAZARD IDENTIFICATION					
2.1	Hazard Identification						
		s classified as a HAZARDOUS SUBSTANCE and as DANGEROUS GOODS according to the classification criteria of NC					
		nd ADG Code (Australia). Corrosive liquid. Hazardous in case of skin contact (irritant), of eye contact (irritan					
		inhalation (lung irritant). Corrosive to skin and eyes on contact. Liquid or spray mist may produce tissue dar					
		n mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray	y mist				
0.0		e severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath.					
2.2	Routes of Entry:	Inhalation: YES Absorption: YES Ingestion: YES	š				
2.3	Effects of Exposure						
	INGESTION:	If product is swallowed, may cause nausea, vomiting and/or diarrhea and central nervous system depression.					
	SKIN & EYES:	Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and water	_				
		May be irritating to skin, especially after prolonged contact. The product can cause allergic skin reactions rashes, welts, dermatitis) upon prolonged or repeated exposure.	(e.g.,				
	INIU A LATIONI	Vapors of this product may be moderately irritating to the nose, throat and other tissues of the respiratory sys					
	INHALATION:	Symptoms of overexposure can include coughing, wheezing, nasal congestion, and difficulty breathing. Inhalati					
		concentrated vapors can cause central nervous system depression (e.g., drowsiness, dizziness, headaches, nause					
2.4	Symptoms of Over	· · · · · · · · · · · · · · · · · · ·					
		skin overexposure may include redness, itching, and irritation of affected areas. Overexposure in eyes may c	ause				
		ng and watering. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonge					
	repeated exp						
2.5	Acute Health Effect						
		case of skin contact (irritant), of eye contact (irritant), of ingestion, of inhalation (lung irritant). Corrosive to skin and	-				
	on contact. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory						
	tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath.						
2.6	Chronic Health Effe						
2.0		e is toxic to lungs, liver, eyes, eye, lens or cornea. Repeated or prolonged exposure to the substance can pro	duce				
	target organs	damage. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irrite	ation.				
	-	prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent attacks of bron	ıchial				
	infection.						
2.7	Target Organs:						
	Eyes, skin & re	espiratory system.					
NA =	Not Available; N[D = Not Determined; NE = Not Established; NF = Not found; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used					
NOTE	: all WHMIS requir	ired information is included. It is located in appropriate sections based on the ANSI Z400.1-2004 format.					

MATERIAL SAFETY DATA SHEET

Page 2 of 8

MSDS-132

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.0 MSDS Revision Date: 04/15/2010 3. COMPOSITION & INGREDIENTS EXPOSURE LIMITS IN AIR (mg/m3) **ACGIH** NOHSC **OTHER** ppm ppm ppm ES-ES-ES-RTECS No. **EINECS No.** CHEMICAL NAME(S) CAS No. TLV **STEL** TWA PEAK PEL STEL **IDLH** STEL 79-41-4 METHACRYLIC ACID OZ2975000 201-204-4 ≤ 75.0 20 70 NF NF NE 20 NE NE 20 NIOSH ISOBUTYL METHACRYLATE 50 97-86-9 OZ4900000 202-613-0 ≤ 25.0 NF NF NF NE NE NE NE NE **BUELER OLEIC ACID** 112-80-1 RG2275000 204-007-1 NF NF NF ≤ 1.0 NE NE NE NE NE **COPPER PCA** 15454-74-7 239-471-4 ≤ 1.0 NF NF NF NE NE ΝE NE NE 4. FIRST AID MEASURES First Aid: 4.1 INGESTION: If ingested, do not induce vomiting! If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed. EYES: If product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Open and close eyelid(s) to ensure thorough irrigation. If problem persists, seek immediate medical attention. If irritation occurs & product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the SKIN: affected area with plenty of soap and water. Do not wear contaminated clothing until after it has been properly cleaned. If irritation, redness or swelling persists, consult a physician immediately. Remove victim to fresh air at once. If breathing stops, perform artificial respiration at once. Seek immediate medical INHALATION: attention. 4.2 Medical Conditions Aggravated by Exposure: HEALTH 3 Pre-existing dermatitis, other skin conditions, and disorders of the target organs (eyes, **FLAMMABILITY** 2 skin, respiratory system). 2 REACTIVITY PROTECTIVE EQUIPMENT В **EYES** SKIN LUNGS 5. FIREFIGHTING MEASURES 5.1 Flashpoint & Method: 77 °C (170.6 °F), TCC 5.2 Autoignition Temperature: 365 °C (689 °F) Flammability Limits: 5.3 Lower Explosive Limit (LEL): 1.6 Upper Explosive Limit (UEL): 8.1 Fire & Explosion Hazards: 5 4 This product is a flammable liquid. When involved in a fire, this product may ignite and decompose to form toxic gases (e.g., CO, CO₂, NO_x) 5.5 Extinguishing Methods: HazChem Code: 3W Hazard Identification Number: 89 Water, Foam, CO₂, Dry Chemical Firefighting Procedures: First responders should wear eye protection. Structural fire fighters must wear full protective equipment and MSHA/NIOSH-approved self-contained breathing apparatus. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas. If necessary, rinse contaminated equipment with soapy water before returning to service.

MATERIAL SAFETY DATA SHEET

Page 3 of 8

MSDS-132

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 2.0

MSDS Revision Date: 04/15/2010

6. ACCIDENTAL RELEASE MEASURES

6.1 Spil

Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment.

For small spills (e.g., <1 gallon) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse

For spills ≥ 1 gallon, deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Use ONLY non-sparking tools for recovery and cleanup. Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.

7. HANDLING & STORAGE INFORMATION

7.1 Work & Hygiene Practices:

Avoid prolonged contact with this material. Avoid breathing the vapors generated by this product. Use in a well-ventilated location (e.g., local exhaust ventilation, fans). Wash exposed skin thoroughly with plenty of soap & water after using this product. If necessary, use a moisturizer after washing. Do not eat, drink, or smoke while handling this product.

7.2 Storage & Handling:

Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Keep away from excessive heat, open flames, sparks, and other possible sources of ignition. Keep away from incompatible materials listed in Section 10. Do not store in damaged or unmarked containers or storage devices. Keep containers securely closed when not in use. Open slowly on a level, stable surface. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care. As a precaution against exposure to the eyes, nose, throat and face, this product should not be stored higher than waist level. Keep away from children at all times!

7.3 Special Precautions:

NA

8. EXPOSURE CONTROLS & PERSONAL PROTECTION

8.1 Ventilation & Engineering Controls:

Use with adequate ventilation (e.g., open doors and windows, local exhaust ventilation). Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station).

8.2 Respiratory Protection:

No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia.

8.3 Eve Protection:

Wear protective eyewear (e.g., safety glasses with side-shield) at all times when handling this product. Always use protective eyewear when cleaning spills or leaks.

8.4 Hand Protection

None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals.

When handling large quantities (e.g., ≥ 1 gallon), wear rubber or impervious plastic gloves.

8.5 Body Protection:

No apron required when handling small quantities.

When handling large quantities (e.g., \geq 1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.

 $\mathbf{O} \cdot \mathbf{P} \cdot \mathbf{I}$

MATERIAL SAFETY DATA SHEET

Page 4 of 8

MSDS-132

		9. PHYSICAL & CHEMICAL PROPERTIES									
.1	Density:	1.015									
.2	Boiling Point: 163 °C (325 °F)										
3	Melting Point: 16°C (60.8°F)										
4	Evaporation Rate:	NA NA									
5	Vapor Pressure:	NA									
,	Molecular Weight:	NE NE									
	Appearance & Color:	Colorless liquid with a strong, repulsive, acrylic odor.									
	Odor Threshold: NA NA										
	Solubility:	Partially soluble in diethyl ether, acetone. Very slightly soluble in methanol, n-octanol.									
0	pH	NA									
1	Viscosity:	NE NE									
2	Other Information:	Vapor density (air=1): 2.97									
		Yupor density (dii-1). 2.77									
		10. STABILITY & REACTIVITY									
1	Stability:										
		ambient conditions when stored properly.									
2	Hazardous Decomposition Prod										
	oxides of carbon & nitro	n high temperatures, products of thermal decomposition may include irritating vapors and toxic gases (e.gaen). The product of the produc									
3		genj.									
4	May occur. Conditions to Avoid:										
4	Conditions to Avoid:	extreme temperatures, incompatible chemicals, strong light sources, sparks, flame.									
	Conditions to Avoid:	extreme temperatures, incompatible chemicals, strong light sources, sparks, flame.									
1.4	Conditions to Avoid: Exposure or contact to (Incompatible Substances:	extreme temperatures, incompatible chemicals, strong light sources, sparks, flame.									
	Conditions to Avoid: Exposure or contact to (Incompatible Substances:										
	Conditions to Avoid: Exposure or contact to (Incompatible Substances:	des, strong alkalis or acids.									
.5	Conditions to Avoid: Exposure or confact to a Incompatible Substances: Strong oxidizers, peroxic Toxicity Data: This product has not be	des, strong alkalis or acids. 11. TOXICOLOGICAL INFORMATION een tested on animals to obtain toxicological data. There are toxicology data for the components of the componen									
5	Conditions to Avoid: Exposure or confact to a Incompatible Substances: Strong oxidizers, peroxic Toxicity Data: This product has not be	des, strong alkalis or acids. 11. TOXICOLOGICAL INFORMATION									
1 2	Conditions to Avoid: Exposure or contact to a incompatible Substances: Strong oxidizers, peroxides in a contact to a incompatible Substances: Toxicity Data: This product has not be product, which are found Acute Toxicity: See Section 2.5 Chronic Toxicity:	des, strong alkalis or acids. 11. TOXICOLOGICAL INFORMATION een tested on animals to obtain toxicological data. There are toxicology data for the components of the componen									
1 2 3	Conditions to Avoid: Exposure or contact to a incompatible Substances: Strong oxidizers, peroxides in a contact to a incompatible Substances: Toxicity Data: This product has not be product, which are found Acute Toxicity: See Section 2.5 Chronic Toxicity: See Section 2.6 Suspected Carcinogen:	des, strong alkalis or acids. 11. TOXICOLOGICAL INFORMATION een tested on animals to obtain toxicological data. There are toxicology data for the components of the componen									
5 1 2 3	Conditions to Avoid: Exposure or contact to a Incompatible Substances: Strong oxidizers, peroxid Toxicity Data: This product has not be product, which are four Acute Toxicity: See Section 2.5 Chronic Toxicity: See Section 2.6 Suspected Carcinogen: No Reproductive Toxicity:	des, strong alkalis or acids. 11. TOXICOLOGICAL INFORMATION een tested on animals to obtain toxicological data. There are toxicology data for the components of the componen									
5 1 2 3	Conditions to Avoid: Exposure or contact to a Incompatible Substances: Strong oxidizers, peroxidizers, peroxidiz	teet to produce reproductive toxicity in humans. 11. TOXICOLOGICAL INFORMATION 21. TOXICOLOGICAL INFORMATION 22. There are toxicology data for the components of the din the scientific literature. These data have not been presented in this document.									
1 2 3 4	Conditions to Avoid: Exposure or contact to a incompatible Substances: Strong oxidizers, peroxides in a contact to a incompatible Substances: Strong oxidizers, peroxides in a contact i	teet to produce reproductive toxicity in humans. 11. TOXICOLOGICAL INFORMATION 21. TOXICOLOGICAL INFORMATION 22. There are toxicology data for the components of the din the scientific literature. These data have not been presented in this document.									
1 2 3 4	Conditions to Avoid: Exposure or contact to a incompatible Substances: Strong oxidizers, peroxidizers, peroxidiz	tes, strong alkalis or acids. 11. TOXICOLOGICAL INFORMATION een tested on animals to obtain toxicological data. There are toxicology data for the components of the din the scientific literature. These data have not been presented in this document. ted to produce reproductive toxicity in humans. ported to produce mutagenic effects in humans. However, animal mutation data are available for the duct.									
5 1 2 3 4 5	Conditions to Avoid: Exposure or contact to a incompatible Substances: Strong oxidizers, peroxidizers, peroxidiz	ted to produce reproductive toxicity in humans. However, animal mutation data are available for the duct. ted to produce embryotoxic effects in humans.									
5 1 2 3 4 5	Conditions to Avoid: Exposure or contact to a incompatible Substances: Strong oxidizers, peroxides in a contact to a incompatible Substances: Strong oxidizers, peroxides in a contact i	ted to produce mutagenic effects in humans. 11. TOXICOLOGICAL INFORMATION 22. Strong alkalis or acids. 11. TOXICOLOGICAL INFORMATION 23. Strong alkalis or acids. 14. TOXICOLOGICAL INFORMATION 25. Strong alkalis or acids. 26. The second data in the components of the component									
	Conditions to Avoid: Exposure or contact to a Incompatible Substances: Strong oxidizers, peroxident of the Incompatible Substances: Strong oxidizers, peroxident of the Incompatible Substances: Toxicity Data: This product has not be product, which are four Acute Toxicity: See Section 2.5 Chronic Toxicity: See Section 2.6 Suspected Carcinogen: No Reproductive Toxicity: This product is not report of the Incomponents of this product is not report of the Incomponents of the I	ted to produce mutagenic effects in humans. 11. TOXICOLOGICAL INFORMATION 12. TOXICOLOGICAL INFORMATION 13. TOXICOLOGICAL INFORMATION 14. There are toxicology data for the components of the distribution of the scientific literature. These data have not been presented in this document. 15. The determinant of the scientific literature of the scientific literature of the scientific literature. These data have not been presented in this document. 16. The scientific literature of the scientific literatu									

$0.9 \cdot 1$

MATERIAL SAFETY DATA SHEET

Page 5 of 8

MSDS-132

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.0 MSDS Revision Date: 04/15/2010 12. ECOLOGICAL INFORMATION Environmental Stability: This product will slowly volatile from soil. Components of this product will slowly decompose into organic compounds. Effects on Plants & Animals: 12.2 There is no specific data available for this product. 12.3 Effects on Aquatic Life: There is no specific data available for this product. Releases of large volumes may be harmful or fatal to overexposed aquatic life. Aquatic toxicity data for components of this product are available, but are not presented in this MSDS. 13. DISPOSAL CONSIDERATIONS Waste Disposal 13 1 Dispose of in accordance with all Federal, state, and local regulations. 13.2 U.S. EPA Characteristic Waste: D002 (corrosive) 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND) CONSUMER COMMODITY, ORM-D ($x \le 0.5 L$) UN1760, CORROSIVE LIQUIDS, N.O.S. (METHACRYLIC ACID, ISOBUTYL METHACRYLATE), 8, III (x > 0.5 L) 14.2 UN1760, CORROSIVE LIQUIDS, N.O.S. (METHACRYLIC ACID, ISOBUTYL METHACRYLATE), 8, III, LTD QTY $(x \le 0.5 L)$ UN1760, CORROSIVE LIQUIDS, N.O.S. (METHACRYLIC ACID, ISOBUTYL METHACRYLATE), 8, III (x > 0.5 L) ORM-D IMDG (OCN) 14.3 UN1760, CORROSIVE LIQUIDS, N.O.S. (METHACRYLIC ACID, ISOBUTYL METHACRYLATE), 8, III, LTD QTY $(x \le 5.0 L)$ UN1760, CORROSIVE LIQUIDS, N.O.S. (METHACRYLIC ACID, ISOBUTYL METHACRYLATE), 8, III (x > 5.0 L) MARK PACKAGE "LIMITED QUANTITY" or "QUANTITÉ LIMITÉE" or "LTD QTY" or "QUANT LTÉE" (x ≤ 5.0 L) UN1760, CORROSIVE LIQUIDS, N.O.S. (METHACRYLIC ACID, ISOBUTYL METHACRYLATE), 8, III (x > 5.0 L) UN1760 ADR/RID (FII) UN1760, CORROSIVE LIQUIDS, N.O.S. (METHACRYLIC ACID, ISOBUTYL METHACRYLATE), 8, III, ADR, LTD QTY $(x \le 5.0 L)$ 14.6 MEXICO (SCT) UN1760, LIQUIDOS CORROSIVOS, N.E.P. (ACIDO METICRILICO, METACRILATO DE ISOBUTIL), 8, III, CANTIDAD LIMITADA ($x \le 5.0 L$) 14.7 UN1760, CORROSIVE LIQUIDS, N.O.S. (METHACRYLIC ACID, ISOBUTYL METHACRYLATE), 8, III, LTD QTY $(x \le 0.5 L)$ UN1760, CORROSIVE LIQUIDS, N.O.S. (METHACRYLIC ACID, ISOBUTYL METHACRYLATE), 8, III (x > 0.5 L)

possible).

MATERIAL SAFETY DATA SHEET

Page 6 of 8

MSDS-132

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.0 MSDS Revision Date: 04/15/2010 15. REGULATORY INFORMATION 15.1 SARA Reporting Requirements: 15.2 SARA Threshold Planning Quantity: All components of this product are listed in the TSCA Inventory or are exempt. 15.4 CERCLA Reportable Quantity (RQ): Ethyl Methacrylate: 454 kg; 1000 lbs. Other Federal Requirements: 15.5 This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR Subchapter G, (Cosmetics). 15.6 Other Canadian Regulations This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List (PSL). Class B3: Combustible liquid. Class D1B: Material causing immediate and serious toxic effects (toxic). Class D2A: Material causing other toxic effects (very toxic). Class E: Corrosive liquid. State Regulatory Information: 15.7 Ingredients in this mixture on found on the following state criteria lists: California OSHA Hazardous Substances List Methacrylic Acid Florida Toxic Substances List Methacrylic Acid Massachusetts Hazardous Substances List Methacrylic Acid Minnesota hazardous Substances List Methacrylic Acid **New York List of Hazardous Substances** Methacrylic Acid New Jersey Right to Know List Methacrylic Acid Pennsylvania Hazardous Substances List Methacrylic Acid, Oleic Acid 67/548/EEC (European Union) Requirements: 15.8 The primary component of this product is not listed in Annex I of EU Directive 67/548/EEC: Methacrylic Acid: Corrosive, Irritant (C, Xi). R: 20/21/22-34-35 Harmful by inhalation, in contact with skin and if swallowed. Causes burns . S: 2-15-26-45 - Keep out of the reach of children. Keep away from heat. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In

case of accident or if you feel unwell seek medical advice immediately (show the label where

ShipMate, Inc. P.O. Box 787

Sisters, OR. 97759-0787 +1 (310) 370-3600 phone +1 (310) 370-5700 fax

http://www.shipmate.com/

MATERIAL SAFETY DATA SHEET

Page 7 of 8

MSDS-132

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.0 MSDS Revision Date: 04/15/2010 16. OTHER INFORMATION Other Information: Precisely follow directions and MSDS (available through your supplier) for use. Avoid all skin contact. If redness or other signs of adverse reaction occur, discontinue use immediately. Use only in a well ventilated area. A ventilation system that expels vapors to the outdoors is recommended. Poisonous if swallowed! Keep out of reach of children. FLAMMABLE! Keep away from heat or flame. In case of emergency, contact your physician or local Poison Control Center immediately. FOR PROFESSIONAL USE ONLY. 16.2 Terms & Definitions: Please see last page of this MSDS. 16.3 Disclaimer This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & OPI Products' knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. Prepared for: 16.4 OPI Products, Inc. 13034 Saticoy Street $O \cdot P \cdot I$ No. Hollywood, CA 91605 USA +1 (818) 759-2400 phone +1 (818) 759-5770 fax http://www.opi.com/ 16.5 Prepared by:

Training & Consulting

MATERIAL SAFETY DATA SHEET

Page 8 of 8

MSDS-132

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 2.0

MSDS Revision Date: 04/15/2010

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
---------	----------------------------------

EXPOSURE LIMITS IN AIR:

ACGIH	ACGIH American Conference on Governmental Industrial Hygienist				
TLV	TLV Threshold Limit Value				
OSHA U.S. Occupational Safety and Health Administration					
PEL Permissible Exposure Limit					
IDLH Immediately Dangerous to Life and Health					

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person							
	whose heart has stopped receives manual chest							
	compressions and breathing to circulate blood and provide							
	oxygen to the body.							


HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:


Minimal Hazard			
1	Slight Hazard		
2	Moderate Hazard		
3	Severe Hazard		
4	Extreme Hazard		



PERSONAL PROTECTION RATINGS:







OTHER STANDARD ABBREVIATIONS:

NA	Not Available			
NR	NR No Results			
NE	Not Established			
ND	Not Determined			
ML	Maximum Limit			
SCBA	Self-Contained Breathing Apparatus			


NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:

Autoignition	Minimum temperature required to initiate combustion					
Temperature	perature in air with no other source of ignition					
LEL	Lower Explosive Limit - lowest percent of vapor in air, by					
	volume, that will explode or ignite in the presence of					
	an ignition source					
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of					
	by volume, that will explode or ignite in the presence of					
	an ignition source					

HAZARD RATINGS:

0	Minimal Hazard				
1	Slight Hazard				
2	Moderate Hazard				
3	Severe Hazard				
4	Extreme Hazard				
ACD	Acidic				
ALK	Alkaline				
COR	Corrosive				
-W-	Use No Water				
OX	Oxidizer				



TOXICOLOGICAL INFORMATION:

LD50 Lethal Dose (solids & liquids) which kills 50% of t exposed animals s				
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal			
ppm	Concentration expressed in parts of material per million parts			
TD _{lo}	Lowest dose to cause a symptom			
TCLo Lowest concentration to cause a symptom				
TD _{io} , LD _{io} , & LD _o Or TC, TC _o , LC _{io} , & LC _o	Lowest dose (or concentration) to cause lethal or toxic effects			
IARC	International Agency for Research on Cancer			
NTP	National Toxicology Program			
RTECS	Registry of Toxic Effects of Chemical Substances			
BCF	Bioconcentration Factor			
TLm	Median threshold limit			
log Kow or log Koc	Coefficient of Oil/Water Distribution			

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System				
DOT	DOT U.S. Department of Transportation				
TC	Transport Canada				
EPA	EPA U.S. Environmental Protection Agency				
DSL	Canadian Domestic Substance List				
NDSL	Canadian Non-Domestic Substance List				
PSL	Canadian Priority Substances List				
TSCA	U.S. Toxic Substance Control Act				
EU	European Union (European Union Directive 67/548/EEC)				

EC INFORMATION:

1		*	*			X	×
С	Е	F	N	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful