(	)·P·I	MA	TERIAL S	AFET	Y DATA S	HEET	Page 1 of 7
U							MSDS-024
Prep	ared to OSHA, A	CC, ANSI, NOHSC, WHM	11S & 2001/58 EC Sta	ndards I	ASDS Revision: 3.0	MSDS Revision Da	ite: 05/26/2011
			1. PRODUC	CT IDEN1	IFICATION		
1.1	Product Name:						
	COMPETITI	ON ENHANCED	COLOR TECH	NOLOG	Y MONOMER		
1.2	Chemical Name: METHACRYLATE	SOLUTION					
1.3	Synonyms: Competition Fo	rmula 3000 E.C.T. Liquid;	; Competition Enhar	nced Color 1	echnology Monomer		
1.4	Trade Names: AE EO2, EO4, EO8	3, E06, E07, E09					
1.5	Product Use: PROFESSIONAL	USE ONLY					
1.6	Manufacturer's Nam OPI PRODUCTS,						
1.7	Manufacturer's Addu 13034 SATICOY	ress: STREET, NO. HOLLYWOO	D, CA 91605 USA				
1.8	Emergency Phone:	+1 (703) 527-3887 /	+1 (800) 424-93	00			
1.9	Business Phone:	00 / +1 (800)-341-9999					
			2. HAZAR	D IDENT	FICATION		
2.1	Hazard Identification:						
		classified as a HAZARDO 1 ADG Code (Australia).		as DANGE	ROUS GOODS accord	ing to the classification	criteria of NOHSC:
2.2	Routes of Entry:		Inhalation:	YES	Absorption:	YES Ingestion:	YES
2.3	Effects of Exposure:						
	SKIN & EYES: /	f product is swallowed, Moderately irritating to May be irritating to skir rashes, welts, dermatitis	the eyes. Sympto n, especially after ) upon prolonged o	ms of overe prolonged of repeated e	xposure may include contact. The produc xposure.	e redness, itching, irrito t can cause allergic s	ition and watering. kin reactions (e.g.,
		Vapors of this product Symptoms of overexpos concentrated vapors cc	sure can include co	ughing, who	ezing, nasal congest	ion, and difficulty brea	thing. Inhalation of
2.4	Symptoms of Overex				• • •	· · ·	· •
	Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. Overexposure in eyes may cause redness, itching and watering. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure.						
2.5	Acute Health Effects						
	Moderate irritat headaches and	ion to eyes and skin ne t nausea	ar affected areas.	Additionally	high concentrations	of vapors can cause dr	owsiness, dizziness,
2.6	Chronic Health Effec						
	None known						
2.7	Target Organs:	airatony avetam					
	Eyes, skin & res	olitatory system.					
NA -	= Not Available <sup>.</sup> N	ID = Not Determined; N	F = Not Established	C = Ceiling	Limit: See Section 16 f	or Additional Definition	s of Terms Used
		uired information is inclu		0			

 $\mathbf{0} \cdot \mathbf{P} \cdot \mathbf{I}$ 

Page 2 of 7

MSDS-024

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSD

MSDS Revision: 3.0

MSDS Revision Date: 05/26/2011

	3. COMPOSITION & INGREDIENT INFORMATION - continued														
		3. (	<u>COMPOSI</u>	TION & IN	GREDIEN	<u> INFC</u>	RMA		<b>I</b> - C	ontir	nued				
								EXPOSURE LIMITS				1			
						AC	GIH		NOHSC	2		OSHA			
							pp	bm	FC	ppm			ppm		OTHER
	CHEMICAL NA	MF(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	PEL	STEL	IDLH	
ETHYL	METHACRYLAT		97-63-2	OZ4550000	202-597-5	≤ 90.0	(15)	NA	NF	NF	NF	(10)	NA	NA	
HYDR	OXYPROPYL ME	THACRYLATE	27813-02-1	1004818HM	201-297-1	≤ 5.0	NA	NA	NF	NF	NF	NA	NA	NA	
GLYC	OL HEMA-METH	ACRYLATE	97-90-5	OZ4400000	202-617-2	≤ 5.0	NA	NA	NF	NF	NF	NA	NA	NA	
DIMET	HYLTOLYLAMIN	E	99-97-8	XU5803000	202-805-4	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
DRON	<b>NETRIZOLE</b>		2440-22-4	GO6860000	219-470-5	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
VIOLE	T 2		81-48-1	CB7700000	201-353-5	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
				1											
				<b>4</b> . F	IRST AID A	NEASL	JRES								
4.1	First Aid:														
	INGESTION:				product has										
					ater or milk.										
					303-623-5716 ( h the material										
	EYES:				pious amounts	-									
	L1 L3.				n persists, seel							з. оре	in unu	ciose	eyena(3)
	SKIN:		• •	•	kin, rinse thore						ved by	/ a tho	rough	washir	ng of the
					vater. Do not										
		If irritation, r	edness or swe	lling persists, o	consult a physi	ician imr	nediat	ely.							
	INHALATION:	Remove vic attention.	tim to fresh c	iir at once. If	breathing sto	ops, perf	orm ar	tificial	respirc	ation a	t once	e. Seek	imme	diate	medical
4.2	Medical Condition		Exposure:						HEAL	тн					2
	Pre-existing d		er skin conditi	ions, and diso	rders of the ta	rget org	ans (ey	/es,			DILIT	v			
	skin, respirato	ry system).									BILIT				3
									-	_	L HA				2
									PROI	ECT	IVE E	QUI	PME	T	В
									EYES	S	KIN				
		1		5. FIR	EFIGHTINC	9 MEA	SOR	=2							
5.1	Flashpoint & Mether 21°C (70°F)	Da:													
5.2	Autoignition Temp	erature:													
	ND														
5.3	Flammability Limits	:		Lower Explo	sive Limit (LEL):		ND	ι	Jpper I	Explosi	ve Lim	it (UEL)	:	ND	)
5.4	Fire & Explosion Ha	izards:													
	This product is toxic gases (e		•	n involved in o	a fire, this proc	duct may	/ ignite	and d	lecom	pose t	o form				
5.5	Extinguishing Meth	-	,											$\land$	
	HazChem Code: 3WE														
	Hazard Identification Number: 33						2								
	Water, Foam, CO2, Dry Chemical														
5.6	5.6 Firefighting Procedures:														
	First responders should wear eye protection. Structural fire fighters must wear full protective equipment and MSHA/NIOSH-approved self-contained breathing apparatus. If possible, prevent runoff water from entering														
	MSHA/NIOSH- storm drains,													•	
	equipment wi					neus. If	neces	sury, r	inse co	omain	muled				

Page 3 of 7

MSDS-024

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 3.0

3.0 MSDS Revision Date: 05/26/2011

6. ACCIDENTAL RELEASE MEASURES

### 6.1 Spills

7.1

Work & Hygiene Practices:

## 6. ACCIDENTAL RELEASE MEASURES

Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., <1 gallon) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse.

For spills ≥ 1 gallon, deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Use ONLY non-sparking tools for recovery and cleanup. Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.

### 7. HANDLING & STORAGE INFORMATION

Avoid prolonged contact with this material. Avoid breathing the vapors generated by this product. Use in a well-ventilated location (e.g., local exhaust ventilation, fans). Wash exposed skin thoroughly with plenty of soap & water after using this product. If necessary, use a moisturizer after washing. Do not eat, drink, or smoke while handling this product. 72 Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Keep away from excessive heat, open flames, sparks, and other possible sources of ignition. Keep away from incompatible materials listed in Section 10. Do not store in damaged or unmarked containers or storage devices. Keep containers securely closed when not in use. Open slowly on a level, stable surface. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care. As a precaution against exposure to the eyes, nose, throat and face, this product should not be stored higher than waist level. Keep away from children at all times! 7.3 Special Precautions: NA 8. EXPOSURE CONTROLS & PERSONAL PROTECTION 8.1 Ventilation & Engineering Controls Use with adequate ventilation (e.g., open doors and windows, local exhaust ventilation). Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station). 8.2 Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. 8.3 Eve Protection: Wear protective eyewear (e.g., safety glasses with side-shield) at all times when handling this product. Always use protective eyewear when cleaning spills or leaks. 8.4 Hand Protection None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals.

When handling large quantities (e.g.,  $\geq$  1 gallon), wear rubber or impervious plastic gloves.

8.5 Body Protection

No apron required when handling small quantities.

When handling large quantities (e.g.,  $\geq$  1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.

Page 4 of 7

MSDS-024

пер	ared to USHA, ACC, ANSI, NUH	SC, WHMIS & 2001/58 EC Standards MSDS Revision: 3.0 MSDS Revision Date: 05/26/2011					
		9. PHYSICAL & CHEMICAL PROPERTIES					
9.1	Density:	0.918					
9.2	Boiling Point:						
9.3	Melting Point:						
9.4	Evaporation Rate: NA						
9.5	Vapor Pressure:						
9.6	Molecular Weight:	NE					
9.7	Appearance & Color:	Clear, colorless liquid with a mild acrylic odor.					
9.8	Odor Threshold:						
9.9	Solubility:						
9.10	pH	Slightly soluble.					
9.11	Viscosity:	NA					
9.12	Other Information:						
9.12	Other mornation.	Vapor density (air=1): > 1.0					
		10. STABILITY & REACTIVITY					
10.1	Stability:						
40.5		nt conditions when stored properly.					
10.2	Hazardous Decomposition Products:	temperatures, products of thermal decomposition may include irritating vapors and toxic gases (e.g.,					
	oxides of carbon & nitrogen).	temperatores, products of merinal decomposition may include initialing vapors and toxic gases (e.g.,					
10.3	Hazardous Polymerization:						
	May occur.						
10.4	Conditions to Avoid:						
	Exposure or contact to extreme temperatures, incompatible chemicals, strong light sources, sparks, flame.						
10.5	Incompatible Substances:						
	Strong oxidizers, peroxides, strong alkalis or acids.						
	11. TOXICOLOGICAL INFORMATION						
11.1	11.1 Toxicity Data:						
	This product has not been tested on animals to obtain toxicological data. There are toxicology data for the components of this						
	product, which are found in the scientific literature. These data have not been presented in this document.						
11.2	Acute Toxicity: See Section 2.5						
11.3	Chronic Toxicity:						
11.4	See Section 2.6 Suspected Carcinogen:						
	No						
11.5	Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans.						
	Mutagenicity: This product is not reported to produce mutagenic effects in humans. However, animal mutation data are available for the components of this product.						
	Embryotoxicity: This product is not reported to produce embryotoxic effects in humans.						
	Teratogenicity: This product is not reported to	produce teratogenic effects in humans.					
	Reproductive Toxicity: This product is not reported to produce reproductive effects in humans.						
11.6	Irritancy of Product:						
11.7	See Section 2.3 Biological Exposure Indices:						
11.8	NE Physician Recommendations: Treat symptomatically.						

$\mathbf{O}$	·P·I	MATERIAL SAFETY DATA SHEET	Page 5 of 7
U			MSDS-024
Prep	ared to OSHA, AC	C, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 3.0 MSDS Re	evision Date: 05/26/2011
10.1	E	12. ECOLOGICAL INFORMATION	
12.1	Environmental Stability This product will s	lowly volatile from soil. Components of this product will slowly decompose into organic c	compounds.
12.2	Effects on Plants & Anir		<b>i</b>
12.3		ic data available for this product. Releases of large volumes may be harmful or fatal to lata for components of this product are available, but are not presented in this MSDS.	overexposed aquatic life.
		13. DISPOSAL CONSIDERATIONS	
13.1	Waste Disposal: Dispose of in acc	ordance with all Federal, state, and local regulations.	
13.2	Special Considerations		
		14. TRANSPORTATION INFORMATION	
		(ID Number, proper shipping name, hazard class & division, packing group) is sh nal descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGF	
14.1	49 CFR (GND):		CONSUMER COMMODITY
	CONSUMER COM	MODITY, ORM-D ( $x \le 1.0$ L)	OPM
	UN2277, ETHYL M	THACRYLATE, STABILIZED, 3, II (x > 1.0 L)	ORM-D
14.2	IATA (AIR):		OPH-D LANSINGTER CHCADDA NIN
	CONSUMER COM	MODITY, 9, ID8000 (x ≤ 0.5 L)	
	UN2277, ETHYL M	ETHACRYLATE, STABILIZED, 3, II (x > 0.5 L)	
14.3	IMDG (OCN):		
	UN2277, ETHYL M	ETHACRYLATE, STABILIZED, 3, II, LTD QTY (x ≤ 1.0 L)	
	UN2277, ETHYL M	THACRYLATE, STABILIZED, 3, II (x > 1.0 L)	FLAMMABLE LIQUID
14.4		: "LIMITED QUANTITY" or "QUANTITÉ LIMITÉE" or "LTD QTY" or "QUANT LTÉE" (x ≤ 1.0 L) ETHACRYLATE, STABILIZED, 3, II (x > 1.0 L)	3
14.5	ADR/RID (EU):		
	UN2277, ETHYL M	THACRYLATE, STABILIZED, 3, II, ADR, LTD QTY (x ≤ 1.0 L)	
14.6	MEXICO (SCT): UN2277, ETIL METI	LACRILATO, STABILIZADA, 3, II, CANTIDAD LIMITADA (x ≤ 1.0 L)	$\langle \mathbf{y} \rangle$
14.7	ADGR (AUS): UN2277, ETHYL M	ETHACRYLATE, STABILIZED, 3, II	
		15. REGULATORY INFORMATION	
15.1	SARA Reporting Requir	ements:	
15.2	SARA 304 (Ethyl A SARA Threshold Plannin		
10.2	NA	g Coonary.	
15.3	TSCA Inventory Status:		
		of this product are listed in the TSCA Inventory or are exempt.	
15.4	CERCLA Reportable Q		
		e: 454 kg; 1000 lbs.	
15.5	Other Federal Requirer		
	This product com	plies with the appropriate sections of the Food and Drug Administration's 21 CFR Subchap	oter G, (Cosmetics).
15.6	Other Canadian Regul		
	This product has	peen classified according to the hazard criteria of the CPR and the MSDS contains all of	

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List (PSL). Class B2 Flammable Liquid.



C	O·P·I MATERIAL SAFETY DATA SHEET							
$\cup$					1	M3D3-024		
Prep	ared to OSHA, AC	C, ANSI, NOHSC, WHMIS	S & 2001/58 EC Standards	MSDS Revision: 3.0	MSDS Revision Da	te: 05/26/2011		
		15 DE		MATION - continue	4			
15.7	State Regulatory Inform				u			
			e following state criteria lis	ts:				
	California OSHA Hazardous Substances ListEthyl MethacrylateDelaware Air Quality Management ListEthyl MethacrylateMassachusetts Hazardous Substances ListEthyl MethacrylateNew York List of Hazardous SubstancesEthyl MethacrylatePennsylvania Hazardous Substances ListEthyl MethacrylatePennsylvania Hazardous Substances ListEthyl Methacrylate							
15.8	Florida Right To Know List       Ethyl Methacrylate         67/548/EEC (European Union) Requirements:       The primary component of this product is not listed in Annex I of EU Directive 67/548/EEC:         Ethyl Methacrylate:       Flammable, Irritant (F, Xi). R: 11-36/37/38-43 – Highly flammable. Irritating to eyes, respiratory system and skin. May cause sensitization by skin contact. S: 2-9-16-29-33 – Keep out the reach of children. Keep container in a well-ventilated place. Keep away from sources of ignition - No smoking. Do not empty into drains. Take precautionary measures against static discharges.         HAZCHEM CODE: 3WE							
			16. OTHER INF	ORMATION				
16.1	Other Information: Precisely follow directions and MSDS (available through your supplier) for use. Avoid all skin contact. If redness or other signs of adverse reaction occur, discontinue use immediately. Use only in a well ventilated area. A ventilation system that expels vapors to the outdoors is recommended. Poisonous if swallowed! Keep out of reach of children. FLAMMABLE! Keep away from heat or flame. In case of emergency, contact your physician or local Poison Control Center immediately. FOR PROFESSIONAL USE ONLY.							
16.2	Terms & Definitions:							
1/ 0	Please see last po	age of this MSDS.						
16.3	3 Disclaimer: This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & OPI Products' knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.							
16.4	Prepared for: OPI Products, Inc 13034 Saticoy Stru No. Hollywood, C +1 (818) 759-2400 +1 (818) 759-5770 http://www.opi.c	eet :A 91605 USA ) phone ) fax	0·P·I					
16.5	Prepared by: ShipMate, Inc. PO Box 787 Sisters, OR 97759 Phone: +1 (310) 3 Fax: +1 (310) 370 e-mail: <u>shipmate</u>	-0787 USA 70-3600 -5700	ShipMa Dangerous O Training & C					

Г

 $\mathbf{0} \cdot \mathbf{P} \cdot \mathbf{I}$ 

Page 7 of 7

MSDS-024

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 3.0

MSDS Revision Date: 05/26/2011

## **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

#### GENERAL INFORMATION:

CAS No. Chemical Abstract Service Number

#### EXPOSURE LIMITS IN AIR:

ACGIH	ACGIH American Conference on Governmental Industrial Hygienists				
TLV	TLV Threshold Limit Value				
<b>OSHA</b> U.S. Occupational Safety and Health Administration					
PEL Permissible Exposure Limit					
IDLH	Immediately Dangerous to Life and Health				

#### FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person						
	whose heart has stopped receives manual chest						
	compressions and breathing to circulate blood and provide						
	oxygen to the body.						


#### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

#### HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0 Minimal Hazard			
1 Slight Hazard			
2	Moderate Hazard		
3	Severe Hazard		
4	Extreme Hazard		

# HEALTH FLAMMABILITY PHYSICAL HAZARDS PERSONAL PROTECTION

### PERSONAL PROTECTION RATINGS:



volume spills or releases of product.

### OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus


### NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

#### FLAMMABILITY LIMITS IN AIR:

Autoignition	Minimum temperature required to initiate combustion		
Temperature	in air with no other source of ignition		
LEL Lower Explosive Limit - lowest percent of vapor in			
	volume, that will explode or ignite in the presence of		
	an ignition source		
UEL	Upper Explosive Limit - highest percent of vapor in air,		
	by volume, that will explode or ignite in the presence of		
	an ignition source		

#### HAZARD RATINGS:

0	Minimal Hazard			
1	Slight Hazard			
2	Moderate Hazard			
3	Severe Hazard			
4	Extreme Hazard			
ACD	Acidic			
ALK	Alkaline			
COR	Corrosive			
₩	Use No Water			
OX	Oxidizer			



#### TOXICOLOGICAL INFORMATION:

LD <sub>50</sub>	Lethal Dose (solids & liquids) which kills 50% of the					
	exposed animals s					
LC 50						
LC 50	Lethal concentration (gases) which kills 50% of the					
	exposed animal					
ppm	<b>ppm</b> Concentration expressed in parts of material pe					
1.1.	million parts					
TD <sub>lo</sub>	Lowest dose to cause a symptom					
TCLo	Lowest concentration to cause a symptom					
TDIo, LDIo, & LDo Or	Lowest dose (or concentration) to cause lethal or					
TC, TC <sub>o</sub> , LC <sub>io</sub> , & LC <sub>o</sub>	toxic effects					
IARC	International Agency for Research on Cancer					
NTP	National Toxicology Program					
RTECS	Registry of Toxic Effects of Chemical Substances					
BCF	Bioconcentration Factor					
TLm	Median threshold limit					
log Kow or log Koc	Coefficient of Oil/Water Distribution					

#### **REGULATORY INFORMATION:**

WHMIS	Canadian Workplace Hazardous Material Information System					
WTI/WIS	Canadian workplace nazardous material information system					
DOT	U.S. Department of Transportation					
TC	Transport Canada					
EPA	U.S. Environmental Protection Agency					
DSL	Canadian Domestic Substance List					
NDSL	Canadian Non-Domestic Substance List					
PSL	Canadian Priority Substances List					
TSCA	U.S. Toxic Substance Control Act					
EU	European Union (European Union Directive 67/548/EEC)					

#### EC INFORMATION:

<b>V</b>		and	*	8	<b>*</b>	×	×
С	E	F	N	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful