# MATERIAL SAFETY DATA SHEET

Page 1 of 7

MSDS-086

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.1

MSDS Revision Date: 11/30/2010

	1. PRODUCT IDENTIFICATION							
1.1	Product Name:							
	SWISS HAND GUARD ANTISEPTIC HANDWASH GEL							
1.2	Chemical Name: ETHANOL SOLUTION							
1.3	Synonyms: NA							
1.4	Trade Names: <b>SD041,SD 044,</b>	SD046, SD047, SD048, SD05	2, SD053, SD051, SD05	54, SD056, S	D057, SD058, RGR72			
1.5	Product Use: PROFESSIONA	L OR SUNDRY USE ONLY						
1.6	Manufacturer's Na							
1.7	Manufacturer's Ac	*	CA 91605 USA					
1.8	Emergency Phone							
	CHEMTREC:	: +1 (703) 527-3887 / +	1 (800) 424-9300					
1.9	Business Phone: +1 (818) 759-2	2400 / +1 (800) 341-9999						
			2. HAZARD I	DENTIFI	CATION			
2.1		is classified as a HAZARD			GEROUS GOODS ac	cording to	the classification o	criteria of
2.2		2004) and ADG Code (Aus						
2.2	Routes of Entry:		Inhalation:	YES	Absorption:	YES	Ingestion:	YES
2.3	Effects of Exposure			miting and	/or diarrhea and cer	tral nervo	is system depression	
	INGESTION:         If product is swallowed, may cause nausea, vomiting and/or diarrhea and central nervous system depression.           EYES & SKIN:         The liquid may produce eye discomfort and is capable of causing temporary impairment of vision and/or transient eye inflammation, ulceration. The vapor is discomforting to the eye. Splashes may cause severe eye irritation, possible corneal burns and eye damage. Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering. May be irritating to skin, especially after prolonged contact. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure.							
	INHALATION:	Vapors of this product m Symptoms of overexposur concentrated vapors can Odor may give some war	e can include cough cause central nervo	ing, whee: us system	zing, nasal congestio depression (e.g., dro	n, and diff	iculty breathing. Inh	alation of
2.4	Symptoms of Overexposure: Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. Overexposure in eyes may cause redness, itching and watering. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure.							
2.5	Acute Health Effects: Moderate irritation to eyes and skin near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea.							
2.6	Chronic Health Effects: The material may accentuate any pre-existing dermatitis condition. None known; however, isopropylparaben, isobutylparaben and n-butylparaben, contained in very small quantities in this product, may be mild allergens to some sensitive individuals.							
2.7	Target Organs: Eyes, skin & respiratory system.							
		D = Not Determined; NE = Not E red information is included. It is			0		al Definitions of Terms U	sed
	. ai wi iviisiequi		nocated in appropriate	SCOUDIS DE	5CG OFFITE AND 2400.1-2	al.		

 $\mathbf{0} \cdot \mathbf{P} \cdot \mathbf{I}$ 

# MATERIAL SAFETY DATA SHEET

Page 2 of 7 MSDS-086

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.1

MSDS Revision Date: 11/30/2010

		3. CO	MPOSITIO	N & INGR	EDIEN	IT INF	ORA	ΛΑΤΙ	ON					
								EXPOSURE LIMITS IN AIR (mg/m <sup>3</sup> )			3)			
						AC		NOHSC ppm			OSHA			OTHER
								ES-	ES-	ES-		ppm		OTTIER
ALCO	CHEMICAL NAME(S) HOL DENATURED	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	TWA	STEL	PEAK	PEL	STEL	IDLH	
	cohol 38-B)	64-17-5	KQ63000000	200-578-6	≤ 70.0	1000	3000	1000	NF	NF	1000	3000	NE	
WATE	R	7732-18-5	ZC0110000	231-791-2	< 30.0	NA	NA	NF	NF	NF	NA	NA	NA	
_	OMER 980	9003-01-4	AT4680000	NA	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
SORB	TOL	50-70-4	LZ4290000	200-061-5	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
	HEXYL PALMITATE	29806-73-3	NA	249-862-1	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
	ETHAMINE	77-86-1	TY2900000	201-064-4	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
DRON	IETRIAZOLE	2440-22-4	GO6860000	219-470-5	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
ISOPR	OPYLPARABEN	4191-73-5	NA	224-069-3	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
ISOBU	TYLPARABEN	4247-02-3	NA	224-208-8	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
BUTYL	PARABEN	94-26-8	DH1980000	202-318-7	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
CI 172	200 (RED 33)	3567-66-6	QJ6197000	222-656-9	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
			4 6		AE A CI	IDEC								
	<ul> <li>patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed.</li> <li>SKIN &amp; EYES: If product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Open and close eyelid(s) to ensure thorough irrigation. Seek immediate medical attention. If problem persists, seek immediate medical attention. If irritation occurs &amp; product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with plenty of soap and water. Remove all contaminated clothing, including footwear and wash thoroughly before reuse. If irritation, redness or swelling persists, consult a physician immediately.</li> </ul>													
4.2	INHALATION: Remove vi Medical Conditions Aggravated b		ir at once. If b	seaning stop.	, periori			HEA		K IIIIII	carare	mean		1
	Pre-existing dermatitis, of skin, respiratory system).	her skin condi	tions, and disc	orders of the to	arget org	gans (e	yes,			BILI	ſV			3
	skii, respiratory system).													0
							_						NIT	
							F			IVE		PME		Α
								EYES						
			5 FIR	EFIGHTING	3 MFA	SUR	=5							
5.1	Flashpoint & Method: 13 °C (56 °F)		0. 111											
5.2	Autoignition Temperature: 422 °C (793 °F)													
5.3	Flammability Limits:		Lower Explo	osive Limit (LEL)	):	3.3		Uppe	Explo	sive Lin	nit (UEL	):	19	7.0
5.4	5.4 Fire & Explosion Hazards: This product is an extremely flammable liquid. When involved in a fire, this product may ignite and decompose to form toxic gases (e.g., CO, CO <sub>2</sub> , NO <sub>x</sub> ).													
5.5	5.5 Extinguishing Methods: Water, Foam, CO <sub>2</sub> , Dry Chemical													
5.6	5.6 Firefighting Procedures: First responders should wear eye protection. Structural fire fighters must wear full protective equipment and MSHA/NIOSH-approved self-contained breathing apparatus. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas. If necessary, rinse contaminated equipment with soapy water before returning to service.													

6.1

Spills

# **MATERIAL SAFETY DATA SHEET**

Page 3 of 7

MSDS-086

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 2.1

MSDS Revision Date: 11/30/2010

# 6. ACCIDENTAL RELEASE MEASURES

Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., <1 gallon) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse.

For spills ≥ 1 gallon, deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Use ONLY non-sparking tools for recovery and cleanup. Transfer liquid to containers for recovery or disposal and solid dikina material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.

# 7. HANDLING & STORAGE INFORMATION

7.1 Work & Hygiene Practices: Avoid prolonged contact with this material. Avoid breathing the vapors generated by this product. Use in a well-ventilated location (e.g., local exhaust ventilation, fans). Wash exposed skin thoroughly with plenty of soap & water after using this product. If necessary, use a moisturizer after washing. Do not eat, drink, or smoke while handling this product. 72 Storage & Handling:

Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Keep away from excessive heat, open flames, sparks, and other possible sources of ignition. Keep away from incompatible materials listed in Section 10. Do not store in damaged or unmarked containers or storage devices. Keep containers securely closed when not in use. Open slowly on a level, stable surface. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care. As a precaution against exposure to the eyes, nose, throat and face, this product should not be stored higher than waist level.

Keep away from children at all times! 7.3 Special Precautions:

Do not store where temperatures can exceed 50 °C (122 °F).

# 8. EXPOSURE CONTROLS & PERSONAL PROTECTION

8.1 Ventilation & Engineering Controls Use with adequate ventilation (e.g., local exhaust ventilation, fans). Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station). 8.2 Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. Eye Protection: 8.3 Wear protective eyewear (e.g., safety glasses with side-shield) at all times when handling this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants. 8.4 None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. When handling large quantities (e.g.,  $\geq 1$  gallon), wear rubber or impervious plastic gloves. 85 Body Protection: No apron required when handling small quantities. When handling large quantities (e.g.,  $\geq$  1 gallon), eye wash stations and deluge showers should be available. Upon completion of

work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.

# MATERIAL SAFETY DATA SHEET

Page 4 of 7

MSDS-086

Prep	pared to OSHA, ACC, ANS	SI, NOHSC, WHMIS & 2001/58 EC Standards         MSDS Revision: 2.1         MSDS Revision Date: 11/30/2010					
		9. PHYSICAL & CHEMICAL PROPERTIES					
.1	Density:	0.92					
.2	Boiling Point:	78 °C (173 °F)					
.3	Melting Point:	ND					
.4	Evaporation Rate:	< 1.0 (n-BuAc = 1.0)					
.5	Vapor Pressure:	ND					
.6	Molecular Weight:	NE					
.7	Appearance & Color: Light pink, viscous gel with a fragrant, minty odor.						
.8	Odor Threshold:	NE					
.9	Solubility:	Soluble in water.					
.10	рН	NA					
.11	Viscosity:	NE					
.12	Other Information:	NA					
		10. STABILITY & REACTIVITY					
).1	Stability:						
	-	ambient conditions when stored properly.					
0.2	Hazardous Decomposition Proc						
	oxides of carbon & nitro	If exposed to <u>extremely high temperatures</u> , products of thermal decomposition may include irritating vapors and toxic gases (e.g., oxides of carbon & nitrogen).					
).3	Hazardous Polymerization:						
	Will not occur.						
).4	Conditions to Avoid: Exposure or contact to extreme temperatures, incompatible chemicals, strong light sources, sparks, flame.						
0.5							
	Strong oxidizers, peroxi	des, strong acids or alkalis.					
		11. TOXICOLOGICAL INFORMATION					
1.1		been tested on animals to obtain toxicology data. There are toxicology data for the components of th nd in scientific literature. These data have not been presented in this document.					
1.2	Acute Toxicity: See Section 2.5						
1.3	Chronic Toxicity: See Section 2.6						
1.4	Suspected Carcinogen: <b>No</b>						
1.5	Reproductive Toxicity: This product is not repor	ted to cause reproductive toxicity in humans.					
	Mutagenicity:						
	This product is not reported to produce mutagenic effects in humans.						
	Embryotoxicity: This product is not reported to produce embryotoxic effects in humans.						
	Teratogenicity: This product is not reported to cause teratogenic effects in humans.						
	Reproductive Toxicity: This product is not repo	ted to cause reproductive effects in humans.					
1.6	Irritancy of Product: See Section 2.3						
1.7	Biological Exposure Indices:						
	Physician Recommendations:						

		MATERIAL SAFETY DATA SHI	CCT	Page 5 of 7		
U	•P•I			MSDS-086		
Prep	ared to OSHA, AC	C, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.1	MSDS Revision Da	te: 11/30/2010		
		12. ECOLOGICAL INFORMATION				
12.1	Environmental Stability This product will s	lowly volatile from soil. Components of this product will slowly decompose into	organic compound	ds.		
12.2	Effects on Plants & Ania There is no specif	nals: ic data available for this product.				
12.3		fic data available for this product. Releases of large volumes may be harmfu lata for components of this product are available, but are not presented in this l		posed aquatic life.		
		13. DISPOSAL CONSIDERATIONS				
13.1		dance with local, state and Federal hazardous waste laws.				
13.2	Special Considerations U.S. EPA Charact	eristic Waste: D001 (ignitability)				
		14. TRANSPORTATION INFORMATION				
		D Number, proper shipping name, hazard class & division, packing group) is shi nformation may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.	own for each mode	e of transportation.		
14.1	49 CFR (GND): CONSUMER COM					
14.2		MODITY, 9, ID8000 (≤ 0.5 L) L SOLUTIONS, 3, II (> 0.5 L)				
14.3		L SOLUTIONS, 3, II, LTD QTY (≤ 1.0 L) L SOLUTIONS, 3, II (> 1.0 L)	co	NSUMER COMMODITY		
14.4		): "LIMITED QUANTITY" or "QUANTITÉ LIMITÉE" or "LTD QTY" or "QUANT LTÉE" (≤ 1.0 L) L SOLUTIONS, 3, II (> 1.0 L)		ORM-D		
14.5						
14.6						
14.7	ADGR (AUS):	L SOLUTIONS, 3, II (> 0.5 L)				

	<b>MATERIAL SAFETY DATA SHEET</b>				
U	) $\cdot \mathbf{P} \cdot \mathbf{I}$ MATERIAL SAFETY DATA SHEET	MSDS-086			
Prep	pared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.1 MSDS Revision D	ate: 11/30/2010			
	15. REGULATORY INFORMATION				
15.1	SARA Reporting Requirements: NA				
15.2	SARA Threshold Planning Quantity: NA				
15.3	TSCA Inventory Status: All components of this product are listed in the TSCA Inventory or are exempt.				
15.4	CERCLA Reportable Quantity (RQ): Acetone (5000 lbs)				
15.5	Other Federal Requirements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (0	Cosmetics).			
15.6	Other Canadian Regulations This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. Class B2 Flammable Liquid.	$\mathbf{T}$			
15.7	State Regulatory Information:         Ingredients in this mixture on found on the following state criteria lists:         Massachusetts Hazardous Substances List       Ethanol         Minnesota Hazardous Substances List       Ethanol         Pennsylvania Hazardous Substances List       Ethanol         Washington Permissible Exposure Limits for Air Contaminants       Ethanol				
15.8	67/548/EEC (European Union) Requirements: The primary component of this product is listed in Annex I of EU Directive 67/548/EEC: <u>Ethanol</u> : Flammable (F). R: 11-36/37 – Highly flammable. Irritating to eyes and respiratory system. S: 2- 7-16-24/25/26 – Keep out of the reach of children. Keep container tightly closed. Avoid contact with skin and eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.				
	16. OTHER INFORMATION				
16.1	Other Information:				
10.1	Keep out of reach of children. Do not take internally. Keep away from heat and open flame.				
16.2	Terms & Definitions: Please see last page of this MSDS.				
16.3	Disclaimer: This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR government regulations must be reviewed for applicability to this product. To the best of ShipMate's & OPI Produ information contained herein is reliable and accurate as of this date; however, accuracy, suitability or co guaranteed and no warranties of any type, either expressed or implied, are provided. The information containe to the specific product(s). If this product(s) is combined with other materials, all component properties must b	icts' knowledge, the mpleteness are not d herein relates only			

may be changed from time to time. Be sure to consult the latest edition.

 $\mathbf{0} \cdot \mathbf{P} \cdot \mathbf{I}$ 

**ShipMate** 

Dangerous Goods

Training & Consulting

16.4

16.5

Prepared for: OPI Products, Inc. 13034 Saticoy Street

Prepared by: ShipMate, Inc. PO Box 787

No. Hollywood, CA 91605 USA +1 (818) 759-2400 phone +1 (818) 759-5770 fax http://www.opi.com/

Sisters, OR 97759-0787 USA Phone: +1 (310) 370-3600

e-mail: <a href="mailto:shipmate.com">shipmate.com</a>

Fax: +1 (310) 370-5700

 $\mathbf{0} \cdot \mathbf{P} \cdot \mathbf{I}$ 

# MATERIAL SAFETY DATA SHEET

Page 7 of 7

# MSDS-086

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 2.1

HEALTH

FLAMMABILITY

REACTIVITY

PERSONAL PROTECTION

MSDS Revision Date: 11/30/2010

# **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

### **GENERAL INFORMATION:**

CAS No. Chemical Abstract Service Number

### EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
TLV Threshold Limit Value	
OSHA U.S. Occupational Safety and Health Administration	
PEL	Permissible Exposure Limit
IDLH	Immediately Dangerous to Life and Health

#### FIRST AID MEASURES:


CPR	Cardiopulmonary resuscitation - method in which a person					
	whose heart has stopped receives manual					
	compressions and breathing to circulate blood and provide					
	oxygen to the body.					

#### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

## HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1 Slight Hazard	
2 Moderate Hazard	
3 Severe Hazard	
4	Extreme Hazard

### PERSONAL PROTECTION RATINGS:



volume spills or releases of product.

## OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus


## NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

#### FLAMMABILITY LIMITS IN AIR:

Autoignition	Minimum temperature required to initiate combustion					
Temperature	in air with no other source of ignition					
LEL						
	volume, that will explode or ignite in the presence of					
	an ignition source					
UEL	Upper Explosive Limit - highest percent of vapor in air,					
	by volume, that will explode or ignite in the presence of					
	an ignition source					

## HAZARD RATINGS:

0	Minimal Hazard		
1	Slight Hazard		
2	Moderate Hazard		
3	Severe Hazard		
4	Extreme Hazard		
ACD	Acidic		
ALK	Alkaline		
COR	Corrosive		
-₩-	Use No Water		
OX	Oxidizer		



## TOXICOLOGICAL INFORMATION:

LD <sub>50</sub>	50 Lethal Dose (solids & liquids) which kills 50% of the exposed animals s					
LC 50	Lethal concentration (gases) which kills 50% of the exposed animal					
ppm	Concentration expressed in parts of material per million parts					
TD <sub>lo</sub>	Lowest dose to cause a symptom					
TCLo	Lowest concentration to cause a symptom					
TDIo, LDIo, & LDo Or	or Lowest dose (or concentration) to cause lethal or					
TC, TC <sub>o</sub> , LC <sub>io</sub> , & LC <sub>o</sub>	toxic effects					
IARC	International Agency for Research on Cancer					
NTP National Toxicology Program						
RTECS Registry of Toxic Effects of Chemical Substance						
BCF	F Bioconcentration Factor					
TLm	Median threshold limit					
log Kow or log Koc Coefficient of Oil/Water Distribution						

#### **REGULATORY INFORMATION:**

WHMIS	Canadian Workplace Hazardous Material Information System				
DOT	U.S. Department of Transportation				
TC	Transport Canada				
EPA	U.S. Environmental Protection Agency				
DSL	Canadian Domestic Substance List				
NDSL	Canadian Non-Domestic Substance List				
PSL	Canadian Priority Substances List				
TSCA	U.S. Toxic Substance Control Act				
EU	European Union (European Union Directive 67/548/EEC)				

## EC INFORMATION:

<b>V</b>		1×	*	8	<b>X</b>	×	×
С	E	F	N	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful